

Power tools 2018

RYOBI®



ryobitools.eu

DESIGNED TO DO MORE

A
WORLDWIDE
LEADER IN

DIY



3

YEAR*
WARRANTY

**Our tools are built to last.
So is our warranty.**

You want more out of everything. Which is what Ryobi® delivers. And now thanks to its advanced technology and innovation, Ryobi brings you their first ever 3 year warranty* for all of their electric and cordless tools, including the 18V ONE+ System and the 36V range of tools.**

For T&Cs and more information, please visit ryobitools.eu

At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their power tools.

Cordless Tools

18V ONE+ Power tools.....	4–35
18V ONE+ Garden tools	36–45
18V Batteries & Chargers.....	46–49
4V/7V/12V/14.4V Power tools.....	50–53

Corded Tools

Drilling	54–57
Metal Working	57–60
Sawing.....	61–63
Woodworking	64–68
Decorating.....	69

Benchtop Tools & Stands

Benchtop Tools & Stands	70–77
-------------------------------	-------

Accessories

Accessories.....	78
------------------	----



We offer a 3 year European warranty* on our **battery powered or electric tools**** excluding accessories and components subject to natural and normal wear and tear. Please refer to our warranty conditions in the user's manual for further information.

All products shown are in compliance with the appropriate European regulations (displaying the CE approval mark on the rating plate).

PLEASE NOTE: Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi® as a result. Only tools bought in the European Union displaying the CE approval mark on the rating plate (incl. Switzerland) are covered by a European warranty. Ryobi® reserves the right to revise product specifications at any time without notice.

*Registration needs to take place within 30 days from the date of purchase. Registration is required for extension for the 3 year European warranty. Please visit our website www.ryobitools.eu for detailed information about warranty conditions and extension registration. This warranty is valid in the European Community, Switzerland, Iceland, Norway, Liechtenstein, Turkey and Russia. Outside these areas, please contact your authorised Ryobi® dealer to determine if another warranty applies.

** This does not include any petrol tools which are subject to a 2 year Ryobi® warranty without registration.

THIS EUROPEAN WARRANTY DOES NOT AFFECT YOUR STATUTORY RIGHTS. ALL STATUTORY WARRANTIES ARE SUBJECT TO APPLICABLE LAW.

For further technical specifications please search for the tool at www.ryobitools.eu and look at the owners manual



ONE+ Range

ONE+ Power Tools

Drilling & Fastening	10–19
Metal Working	20–21
Sawing	21–25
Woodworking	26–28
Sanding	28–29
Lifestyle	30–32
Cleaning	33
Lighting	34–35

ONE+ Garden Tools

Lawn Care	36–39
Trees and Hedges	39–43
Garden Clean Up	43–44
Specialty Garden Tools	45



+ BUY THE TOOLS YOU WANT

at the time you need them...

...and avoid paying for excess batteries and chargers. With everything from drills to radios, trimmers to seed spreaders, the choice is there for you to grow your family of tools.



ONE BATTERY FITS ALL

Power over 70 different tools with the
same Lithium+ battery



CHOOSE A KIT...

Buy any kit with tool, battery & charger
included to start your family.


OR

PICK A TOOL...

Expand your family for less by buying
individual bare tools, batteries or chargers.




The battery that thinks for itself.




Fuel Gauge

The simplest way to monitor your battery life and manage your workload.



Protection Electronics

The electronics shut down the tool if there is too much strain on the battery or if it gets too hot, protecting both tool and battery from damage.




High Power Cells

Energy flows easily through the cells when required in high bursts for increased performance.



IntelliCell™ battery technology

Uniquely manages its own power to deliver optimum performance and runtime for any ONE+ tool and application.



Lithium+18V
HIGH ENERGY

NEW FOR 2018



UP TO

3X

MORE RUNTIME

204

METRES*
9.0Ah
Lithium+18V
HIGH ENERGY

vs.

65

METRES*
4.0Ah
Lithium+

*RB18L90 compared with RB18L40 when cutting 4x11 OSB board with the R18CS circular saw. Results can vary depending on tool, battery and application.



6.0Ah High Energy Battery

Article number:
5133001905

3.0Ah High Energy Battery

Article number:
5133001904

9.0Ah High Energy Battery

Article number:
5133002737

What's new in



NEW GENERATION OF DRILLS



18V Percussion Drill

Article number:
5133002888



18V Drill Driver

Article number:
5133002889



18V Brushless Percussion Drill

Article number:
5133003595



18V Brushless Drill Driver

Article number:
5133003596

NEW FOR 2018



18V Brushless Angle Grinder

Article number:
5133002852



18V Sliding Mitre Saw

Article number:
5133003597



18V Brushless Circular Saw

Article number:
5133002890




18V Multi Tool

Article number:
5133002466

BRUSHLESS™

INTELLIGENT PERFORMANCE




Power

A friction-less BRUSHLESS motor spins at up to 25,000rpm to deliver more powerful tools.



Intelligent performance

A microprocessor constantly monitors and regulates the motor to maximise runtime.



The battery that thinks for itself

Uniquely manages its own power to deliver optimum runtime for any ONE+ tool and application.



**MORE
RUNTIME**

**MORE
POWER**

**MORE
COMPACT**



R18DDBL-0 18V Cordless Brushless Drill/Driver

- BRUSHLESS drill driver ideal for drilling in wood or metal and screw driving
- Ryobi's BRUSHLESS technology uses patented electronics to deliver up to 40% more runtime and 20% more power
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- e-Torque control settings make it easy to drive screws flush everytime
- LED lights up your work area for better visibility
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 800 4x40mm screws per charge



BRUSHLESS™

Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-440 / 0-1700
Max. torque (Nm)	60
Chuck capacity (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	50
Torque settings	10
Weight (without battery) (Kg)	1.7
Article Number	5133002437
EAN Code	4892210135629

Standard equipment (R18DDBL-0)
Double ended bit

Also Available as

x2	18V Brushless Drill Driver (2x2.0Ah)
Name:	R18DDBL-220S
Product Code:	5133003435

x2	18V Brushless Drill Driver (2x2.5Ah)
Name:	R18DDBL-225B
Product Code:	5133003611

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176

	Name: RAK69MIX
	Product Code: 5132002687



R18PDBL-0 18V Cordless Brushless Percussion Drill

- BRUSHLESS combi drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Patented electronics control a compact but powerful motor delivering up to 40% more runtime and 20% more power than brushed tools
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- e-Torque control settings make it easy to drive screws flush everytime
- LED lights up your work area for better visibility
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which can drive up to 800 4x40mm screws per charge



BRUSHLESS™

Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	60
Chuck capacity (mm)	13
No load speed (rpm)	0-440 / 0-1700
Max. drilling wood (mm)	50
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	10
Weight (without battery) (Kg)	1.7
Article Number	5133002438
EAN Code	4892210135636

Standard equipment (R18PDBL-0)
Double ended bit

Also Available as

x2	18V Brushless Percussion Drill (2x2.0Ah)
Name:	R18PDBL-LL20S
Product Code:	5133003436

x2	18V Brushless Percussion Drill (1x5.0Ah, 1x2.0Ah)
Name:	R18PDBL-252S
Product Code:	5133003614

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176

	Name: RAK69MIX
	Product Code: 5132002687



ONE+ R18DD3-0 18V Cordless Drill/Driver

NEW

- Cordless drill driver ideal for drilling in wood or metal and screw driving applications
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- LED lights up your work area for better visibility
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which can drive up to 745 4x32mm screws per charge



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	0-500 / 0-1800
Max. torque (Nm)	50
Max. drilling steel (mm)	13
Max. drilling wood (mm)	38
Chuck capacity (mm)	13
Weight (without battery) (Kg)	1.3
Article Number	5133002889
EAN Code	4892210149152

Standard equipment (R18DD3-0)

Double ended bit

Also Available as

x2	18V Cordless Drill/Driver (2x2.0Ah)
Name:	R18DD3-220S
Product Code:	5133003348

x2	18V Cordless Drill/Driver (1x5.0Ah & 1x2.0Ah)
Name:	R18DD3-252S
Product Code:	5133003353

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176

	Name: RAK69MIX
	Product Code: 5132002687



ONE+ R18PD3-0 18V Cordless Percussion Drill

NEW

- Cordless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- 13mm ratcheting chuck for improved bit gripping strength and durability
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which can drive up to 745 4x32mm screws per charge



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	50
Chuck capacity (mm)	13
Max. drilling masonry (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	38
Torque settings	24
Weight (without battery) (Kg)	1.3
Article Number	5133002888
EAN Code	4892210149145

Standard equipment (R18PD3-0)

Double ended bit

Also Available as

x2	18V Cordless Percussion Drill (2x2.0Ah)
Name:	R18PD3-220S
Product Code:	5133003342

x2	18V Cordless Percussion Drill (2x4.0Ah)
Name:	R18PD3-240S
Product Code:	5133003346

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176

	Name: RAK69MIX
	Product Code: 5132002687

18v Compact Brushless Drills

COMPACT
— AND —
ERGONOMIC

e-Torque™

The next generation of electronic clutch control that drives screws flush for a perfect finish every time, without the need to manually select the correct torque setting.

+ Power

A friction-less BRUSHLESS motor spins at up to 25,000rpm to deliver more powerful tools.



BRUSHLESS™
INTELLIGENT PERFORMANCE



R18DD5-0 18V Cordless Brushless Drill/Driver

NEW

- BRUSHLESS drill driver ideal for drilling in wood or metal and screw driving
- Ryobi's BRUSHLESS technology uses patented electronics to deliver more runtime and power
- e-Torque control automatically drives screws flush for a perfect finish every time
- 13mm keyless chuck for greater accessory compatibility
- 2 gears to control the max speed to match different materials and applications
- LED lights up your work area for better visibility



COMING SOON

Power	18V
No. of batteries supplied	0
Charger included?	No
Chuck capacity (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	38
Torque settings	Automatic
Weight (without battery) (Kg)	1.3
Article Number	5133003596
EAN Code	4892210156648

Standard equipment (R18DD5-0)
Double ended bit

BRUSHLESS™

Compatible Accessories

	Name: RAK10MSDI Product Code: 5132003176		Name: RAK69MIX Product Code: 5132002687
--	---	--	--



R18PD5-0 18V Cordless Brushless Percussion Drill

NEW

- BRUSHLESS percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- Ryobi's BRUSHLESS technology uses patented electronics to deliver more runtime and power
- e-Torque™ control automatically drives screws flush for a perfect finish every time
- 13mm keyless chuck for greater accessory compatibility
- 2 gears to control the max speed to match different materials and applications
- LED lights up your work area for better visibility



COMING SOON

Power	18V
No. of batteries supplied	0
Charger included?	No
Chuck capacity (mm)	13
Max. drilling masonry (mm)	13
Max. drilling steel (mm)	13
Max. drilling wood (mm)	38
Max. percussion rate (bpm)	6800 / 23800
Torque settings	Automatic
Weight (without battery) (Kg)	1.3
Article Number	5133003595
EAN Code	4892210156631

Standard equipment (R18PD5-0)
Double ended bit

BRUSHLESS™

Compatible Accessories

	Name: RAK10MSDI Product Code: 5132003176		Name: RAK69MIX Product Code: 5132002687
--	---	--	--



R18DDP2-0 18V Cordless Drill/Driver

- Cordless drill driver ideal for drilling in wood or metal and screw driving
- Keyless chuck for quick and easy bit changes
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which can drive up to 695 4x32mm screws per charge



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	45
Chuck capacity (mm)	13
No load speed (rpm)	0-440 / 0-1600
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Torque settings	24
Weight (without battery) (Kg)	1.4
Article Number	5133002641
EAN Code	4892210142450

Compatible Accessories

	Name: RAK10MSDI Product Code: 5132003176		Name: RAK69MIX Product Code: 5132002687
--	---	--	--

Standard equipment (R18DDP2-0)

Double ended bit



R18PD-0 18V Cordless Percussion Drill

- Cordless percussion drill ideal for drilling in wood or metal, driving screws or even drilling in masonry thanks to the hammer function
- All metal 13mm keyless chuck for greater accessory compatibility
- 2 gears to control the max speed to match different materials and applications
- 24 torque settings help to drive screws flush every time
- LED lights up your work area for better visibility
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which can drive up to 745 4x32mm screws per charge



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	55
Chuck capacity (mm)	13
No load speed (rpm)	0-375 / 0-1600
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	24
Weight (without battery) (Kg)	1.7
Article Number	5133002478
EAN Code	4892210137647

Compatible Accessories

	Name: RAK69MIX Product Code: 5132002687
--	--

Standard equipment (R18PD-0)

Double ended bit, auxiliary handle and depth stop



RAD1801M 18V Cordless Right Angle Drill

- Cordless right angle drill ideal for drilling in wood and metal or driving screws in tight spaces
- Keyless chuck for quick and easy bit changes
- LED lights up your work area for better visibility
- Magnetic drill bit tray for easy storage and access to your drill bits



Power	18V
No. of batteries supplied	0
Charger included?	No
Chuck capacity (mm)	10
No load speed (rpm)	0-1100
Max. drilling wood (mm)	38
Max. drilling steel (mm)	10
Weight (without battery) (Kg)	1.4
Article Number	5133001166
EAN Code	4892210118578

Compatible Accessories

	Name: RAK10MSDI Product Code: 5132003176		Name: RAK69MIX Product Code: 5132002687
--	---	--	--

Standard equipment (RAD1801M)

Double ended bit

ONE+ R18IDBL-0 18V Cordless Brushless Impact Driver

- Brushless impact driver ideal for fast tightening and removing of fasteners
- Ryobi's Brushless technology combines a friction-less Brushless motor, intelligent electronics and lithium+ battery technology to deliver up to 20% more runtime and 20% more power in a smaller tool
- Powerful impact mechanism delivers up to 5x the power of a drill
- 3 power levels for wide range of applications, from fitting door hinges to driving decking screws and coach bolts
- DeckDrive™ mode which is a specific speed profile that makes driving decking screws easier
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 284 screws per charge (4x65mm screws into C24 treated pine)





BRUSHLESS™

Power	18V
No. of batteries supplied	0
Charger included?	No
Impact rate (ipm)	0-3900
Max. torque (Nm)	270
Tool reception	1/4" Hex
No load speed (rpm)	0-3000
Weight (without battery) (Kg)	1.1
Article Number	5133002662
EAN Code	4892210143457

Standard equipment (R18IDBL-0)

1 x impact bit, 1 x 3/8 inch socket adaptor

Compatible Accessories

	Name: RAK10MSDI Product Code: 5132003176		Name: RAK69MIX Product Code: 5132002687
---	---	---	--

18V Brushless Impact Driver

Power

Powerful impact mechanism delivers up to 5x the power of a drill.*

Electronic 4 mode selection

1. Slow speed for small screws
2. Medium speed for general wood screws
3. High Speed for max power
4. DeckDrive™ optimised mode to make driving decking screws (4.5 x 65mm) easier

BRUSHLESS™
INTELLIGENT PERFORMANCE

*When comparing max torque against Ryobi's R18DD3 drill



DECK DRIVE
OPTIMISED
TO
DRIVE
DECKING SCREWS



R18SDS-0

18V Cordless SDS+ Rotary Hammer Drill

- Pneumatic hammer drill ideal for drilling holes in stone and concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Chisel function ideal for applications such as light tile removal
- Pneumatic hammer mechanism delivers 1.3J of impact energy making it easy to drill in hard materials like concrete
- LED lights up your work area for better visibility
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 55 holes per charge (6x40mm into concrete)



Power	18V
No. of batteries supplied	0
Charger included?	No
Impact rate (ipm)	0-5000
Blow energy (J)	1.3
Max. drilling wood (mm)	16
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (without battery) (Kg)	1.7
Article Number	5133002305
EAN Code	4892210130211

Standard equipment (R18SDS-0)

None

Compatible Accessories

	Name: RAK08SDS
	Product Code: 5132002262



R18QS-0

18V Cordless Quiet Strike Impact Driver

- Quiet Strike impact driver ideal for fast tightening and removing of fasteners
- Innovative oil pulse mechanism delivers more power and speed than a drill but with half the noise of an impact driver
- Tri-Beam LED light illuminates the work area and eliminates shadows on bits and fasteners
- Quick load 1/4" (6.35mm) chuck for fast and easy bit changes
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 225 screws per charge (4x65mm screws into C24 treated pine)



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	45
No load speed (rpm)	0-3200
Impact rate (ipm)	0-2200
Tool reception	1/4" Hex
Weight (without battery) (Kg)	1.4
Article Number	5133002642
EAN Code	4892210142443

Standard equipment (R18QS-0)

1 x impact bit, 1 x 3/8 inch socket adaptor, Belt clip

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176



R18ID3-0

18V Cordless 3-Speed Impact Driver

- Impact driver ideal for fast tightening and removing of fasteners
- Powerful impact mechanism delivers up to 4x the power of a drill
- 3 power levels for wide range of applications, from fitting door hinges to driving decking screws and coach bolts
- Tri-Beam LED light illuminates the work area and eliminates shadows on bits and fasteners
- Quick load 1/4" (6.35mm) chuck
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 237 screws per charge (4x65mm screws into C24 treated pine)



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	220
No load speed (rpm)	0-3,200
Impact rate (ipm)	0-3,400
Weight (without battery) (Kg)	1.2
Article Number	5133002613
EAN Code	4892210140708

Standard equipment (R18ID3-0)

1 x impact bit, 1 x 3/8 inch socket adaptor

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176

ONE+ **RID1801M** 18V Cordless Impact Driver

- High power cordless impact driver perfect for screwing and loosening larger bolts
- Motor delivers 220Nm of torque to easily drive long screws and nuts
- Keyless bit changes 6.35mm (1/4 ") hex drive
- 3 LED lights light up your work area, so you can see what you are doing
- Robust die-cast front gear housing to protect the motor
- Variable speed, reverse and brake for total control of your tool



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. torque (Nm)	220
No load speed (rpm)	3200
Weight (without battery) (Kg)	1.6
Article Number	5133001168
EAN Code	4892210118592

Standard equipment (RID1801M)

1 x impact bit, 1 x 3/8 inch socket adaptor

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176

ONE+ **R18IDP-0** 18V Cordless Impact Driver

- Impact driver ideal for fast tightening and removing of fasteners
- Powerful impact mechanism delivers up to 3x the power of a drill
- Quick load 1/4" (6.35mm) chuck
- For best performance and ergonomics we recommend using a 2.5Ah lithium+ battery which delivers up to 237 screws per charge (4x65mm screws into C24 treated pine)



Power	18V
No. of batteries supplied	0
Charger included?	<attrib
Impact rate (ipm)	0-3,200
Max. torque (Nm)	170
No load speed (rpm)	0-3,200
Weight (without battery) (Kg)	1.2
Article Number	5133002640
EAN Code	4892210142436

Standard equipment (R18IDP-0)

1 x impact bit, 1 x 3/8 inch socket adaptor

ONE+ **R18IW3-0** 18V Cordless 3-Speed Impact Wrench

- 18V high power motor delivers 400Nm of torque ideal for fast tightening/removing of heavy duty fasteners
- Impact mechanism allows for high amounts of torque with little reactionary feedback through the handle
- Tri-Beam LED lights eliminate shadows on bits and fasteners even in the darkest work areas
- 3 speed settings provide added control and versatility
- Mode 1: 0-2,100 rpm for precision work
- Mode 2: 0-2,500 rpm for added control which helps prevent damage to fasteners and materials
- Mode 3: 0-2,900 rpm for maximum performance for the toughest applications
- 1/2" Square drive with locking pin for easy socket fitment
- Fit up to 100 wheels per charge when combined with our high capacity Lithium+ 4.0Ah battery RB18L40



Power	18V
No. of batteries supplied	0
Charger included?	No
Impact rate (ipm)	0-3200
Max. torque (Nm)	400
No load speed (rpm)	0-2900
Weight (without battery) (Kg)	1.6
Article Number	5133002436
EAN Code	4892210132352

Standard equipment (R18IW3-0)

1/4" hex adapter



CCG1801M 18V Cordless Caulking Gun

- Produces high force for high viscosity materials
- Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed
- GripZone™ overmould technology for improved comfort with a positive grip



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. output force	225
Weight (without battery) (Kg)	1.6
Article Number	5133000060
EAN Code	4892210100962

Standard equipment (CCG1801M)
None



R18GLU-0 18V Cordless Glue Gun

- Hot glue can be used on a wide selection of materials such as paper, cardboard, textiles, leather, plastic, wood, metal, cork or stone
- Two-finger trigger for enhanced control
- 3 minute warm up means you're ready to glue in next to no time
- Compatible with any brand of 11mm diameter all-purpose and high strength adhesives
- Fire up to 60 glue sticks per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Nozzle Hole (mm)	3
Glue Stick Diameter (mm)	11
Weight (without battery) (Kg)	0.4
Article Number	5133002868
EAN Code	4892210149428

Standard equipment (R18GLU-0)
3 glue sticks



ONE+ R18N16G-0 18V Cordless 16G Nailer

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages LED by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks
- Fire up to 1000 50mm nails into pine when using our high capacity Lithium+ 4.0Ah battery RB18L40



Power	18V
No. of batteries supplied	0
Charger included?	No
Magazine capacity nails	100
Nail type (mm)	1.6
Weight (without battery) (Kg)	2.7
Article Number	5133002222
EAN Code	4892210128898

Standard equipment (R18N16G-0)

500 x 50mm nails, 2 x no mar shoes, reversible belt hook

ONE+ R18N18G-0 18V Cordless 18G Nailer

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15 to 50mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages twin LEDs by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks
- Fire up to 1600 50mm nails into pine when using our high capacity Lithium+ 4.0Ah battery RB18L40



Power	18V
No. of batteries supplied	0
Charger included?	No
Magazine capacity brads	105
Nail type (mm)	1.2
Weight (without battery) (Kg)	2.5
Article Number	5133002093
EAN Code	4892210128058

Standard equipment (R18N18G-0)

500 x 32mm nails, 2 x no mar shoes, reversible belt hook

ONE+ R18S18G-0 18V Cordless 18G Stapler

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires narrow crown staples (5.5-6.1mm) from 10 to 38mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-light technology engages twin LED's by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of staples
- Dry-fire lockout prevents the tool working without staples loaded
- Tool less jam release for easy removal of clear staples
- Low staple indicator so you can see when it is time to re-load
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks
- Fire up to 1400 38mm staples into pine when using our high capacity Lithium+ 4.0Ah battery RB18L40



Power	18V
No. of batteries supplied	0
Charger included?	No
Magazine capacity	100
Nail type (mm)	1.2
Weight (without battery) (Kg)	2.6
Article Number	5133002516
EAN Code	4892210138781

Standard equipment (R18S18G-0)

500 x 38mm staples, 2 x no mar shoes, reverseable belt hook

18V Brushless Angle Grinder

Power

Brushless motor eliminates friction to provide the power to cut, grind or even work with masonry.

Electronic Anti-Kickback™

The motor will automatically shut down when a jam is detected. Ensuring you do not lose control of the tool.

BRUSHLESS
INTELLIGENT PERFORMANCE

UNLOCK
NEW CORDLESS
APPLICATIONS



R18AG7-0 18V Cordless Brushless Angle Grinder

NEW

- Powerful brushless 125mm grinder ideal for a variety of cutting and grinding applications
- Brushless motor eliminates friction to provide the power to cut, grind or even work with masonry
- Intelligent electronics constantly regulate the motor to maximum runtime
- Electronic anti-kickback technology shuts the tool down when a jam is detected improving user safety
- 3 position handle for better control when grinding or cutting
- Tool-less wheel guard and nut for easy accessory fitting
- For best performance and runtime use a 5.0Ah Lithium+ battery which can make up to 80 cuts through 13mm threaded bar



BRUSHLESS

Power	18V
No. of batteries supplied	0
Charger included?	No
Disc diameter (mm)	125
No load speed (rpm)	11,000
Bore size (mm)	22
Weight (without battery) (Kg)	2.2
Article Number	5133002852
EAN Code	4892210149404

Standard equipment (R18AG7-0)

Grinding disc, wheel guard and auxiliary handle

Compatible Accessories

	Name: RAK6AGD125
	Product Code: 5132003149

ONE+ R18AG-0 18V Cordless Angle Grinder

- Cordless 115mm grinder ideal for a variety of cutting and grinding applications
- 3 position handle for better control when grinding or cutting
- Two stage non lockable switch for enhanced user protection preventing accidental start up
- Easy to adjust tool-less wheel guard
- Spindle lock for easy accessory changing
- GripZone™ overmould technology for improved comfort with a positive grip



Power	18V
No. of batteries supplied	0
Charger included?	No
Disc diameter (mm)	115
No load speed (rpm)	7500
Bore size (mm)	22
Weight (without battery) (Kg)	2.5
Article Number	5133001903
EAN Code	4892210123657

Standard equipment (R18AG-0)

Auxiliary handle, Wrench, wheel guard, 1 x grinding disc

ONE+ R18RS-0 18V Cordless Reciprocating Saw

- Ideal for rough and fast cutting for demolition tasks in materials such as wood, metal and plastic.
- Cuts faster than corded, compared to Ryobi corded saw ERS80VHG
- Anti-Vibe™ handle increases comfort and control while cutting
- Tool-less blade clamp for quick and easy blade changes
- The adjustable shoe makes it possible to use different sections of the blade prolonging the blade life
- For best performance and runtime we recommend using a 5.0Ah Lithium+ battery which delivers up to 164 cuts per charge in 50X100mm



Power	18V
No. of batteries supplied	0
Charger included?	No
Stroke length (mm)	28
No load speed (rpm)	2,900
Max. cutting capacity wood (mm)	200
Weight (without battery) (Kg)	2.4
Article Number	5133002637
EAN Code	4892210141910

Standard equipment (R18RS-0)

1 x wood blade, 1 x Hex Key

Compatible Accessories

	Name: RAK3RBWM
	Product Code: 5132002813

ONE+ RRS1801M 18V Cordless Reciprocating Saw

- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- Variable speed and brake
- 22mm stroke length
- Anti vibration technology
- Adjustable shoe increases blade life



Power	18V
No. of batteries supplied	0
Charger included?	No
Stroke length (mm)	22
No load speed (rpm)	3100
Max. cutting capacity wood (mm)	180
Weight (without battery) (Kg)	1.9
Article Number	5133001162
EAN Code	4892210118691

Standard equipment (RRS1801M)

1 x wood blade


Compatible Accessories

	Name: RAK3RBWM
	Product Code: 5132002813

18V Brushless Circular Saw

Power

Brushless motor eliminates friction to provide the power to cut up to 60mm.



BRUSHLESS
INTELLIGENT PERFORMANCE

30%

**MORE
POWER**



R18CS7-0

18V Cordless Brushless Circular Saw

NEW

- Powerful Brushless circular saw ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work top, flooring or to make quick and accurate cross cuts in timber
- Brushless motor eliminates friction to provide the power to cut and saw into variety of wood materials
- Intelligent electronics constantly regulate the motor to maximum runtime
- Impressive cut capacities 60mm at 90°, 42mm at 45° allows you to complete applications usually reserved for corded saws
- Tool-less depth and bevel adjustments make it quick and easy to set up the saw
- Rotatable dust port helps keep the cut line clear and allows you to work in a dust free environment by connection to a vacuum
- Premium Thin Kerf 184mm blade with 24 carbide tipped teeth provides superb performance and cut quality
- For best performance and runtime use a 5.0Ah lithium+ battery which can make up to 110M across 13mm plywood sheets



BRUSHLESS

Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	184
Max. cutting depth 45° (mm)	42
Max. cutting depth 90° (mm)	60
No load speed (rpm)	3700
Bore size (mm)	16
Bevel capacity (°)	50
Weight (without battery) (Kg)	2.8
Article Number	5133002890
EAN Code	4892210150080

Standard equipment (R18CS7-0)

1 x 24 Tooth TCT Blade, Side Fence

**RWSL1801M****18V Cordless Circular Saw**

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber
- Impressive cut capacities 45mm at 90°, 32mm at 45°
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Dust port helps you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 150mm blade with 18 carbide tipped teeth provides superb performance and cut quality



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	150
Max. cutting depth 45° (mm)	32
Max. cutting depth 90° (mm)	45
No load speed (rpm)	0-4,700
Bore size (mm)	10
Bevel capacity (°)	50
Weight (without battery) (Kg)	2.8
Article Number	5133001164
EAN Code	4892210118554

Compatible Accessories

	Name: CSB150A1
	Product Code: 5132002579

Standard equipment (RWSL1801M)

Hex key, 150mm TCT circular saw blade and edge guide

**R18CS-0****18V Cordless Circular Saw**

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber
- Impressive cut capacities 52mm at 90°, 36mm at 45° allows you to complete applications usually reserved for corded tools
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Rotatable dust port helps keep the cut line clear and allows you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 165mm blade with 24 carbide tipped teeth provides superb performance and cut quality
- Make up to 275 cross cuts in 2x4 (52x100mm) timber per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	165
Max. cutting depth 45° (mm)	36
Max. cutting depth 90° (mm)	52
No load speed (rpm)	4,700
Bore size (mm)	16
Bevel capacity (°)	0-56
Weight (without battery) (Kg)	2.4
Article Number	5133002338
EAN Code	4892210117304

Compatible Accessories

	Name: CSB165A1
	Product Code: 5132002774

Standard equipment (R18CS-0)

1x 24 Tooth TCT blade, Side fence

**R18CSP-0****18V Cordless Circular Saw**

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber
- Impressive cut capacities 45mm at 90°, 32mm at 45° allows you to complete applications usually reserved for corded tools
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Dust port helps keep the cut line clear and allows you to work in a dust free environment by connecting to a vacuum
- Thin Kerf 150mm blade with 18 carbide tipped teeth provides superb performance and cut quality
- Make up to 180 cross cuts in 2x6 (45x150mm) timber per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	150
Max. cutting depth 45° (mm)	32
Max. cutting depth 90° (mm)	45
No load speed (rpm)	4,700
Bore size (mm)	10
Bevel capacity (°)	0-56
Weight (without battery) (Kg)	2.6
Article Number	5133002628
EAN Code	4892210141071

Standard equipment (R18CSP-0)

1x 18 TCT blade, 1x hex key, 1x guide fence



R18JS-0

18V Cordless Jigsaw

- Cordless jigsaw with 25mm stroke length ideal for cutting wood at a variety of different angles
- 1 handed speed control for easy speed adjustment to suit different applications
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Lock on switch keeps your tool working so reduces your fatigue
- LED worklight illuminates the cut line and work area
- Easy base adjustment to cut between 0° to 45° angles



Power	18V
No. of batteries supplied	0
Charger included?	No
Stroke length (mm)	25
No load stroke rate (spm)	1,100 - 3,000
Max. cutting capacity wood (mm)	101
Weight (without battery) (Kg)	2.1
Article Number	5133002158
EAN Code	4892210128010

Standard equipment (R18JS-0)

1 x Wood blade

Compatible Accessories

	Name: RAK6JSBW
	Product Code: 5132002810



LTS180M

18V Cordless Tile Saw

- Powerful 18V motor cuts through ceramic, granite, marble and masonry
- Steel base includes oversized knobs for easy adjustments
- 102mm 4" continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Spindle lock for easy cutting wheel changes
- GripZone™ overmould technology for improved grip and reduced vibration
- Wrench storage
- Diamond wheel included
- Water bottle included



Power	18V
No. of batteries supplied	0
Charger included?	No
No load speed (rpm)	5000
Wheel size (mm)	102
Arbor size (mm)	16
Max. cutting depth 45° (mm)	16
Max. cutting depth 90° (mm)	22
Weight (without battery) (Kg)	2.7
Article Number	5133000154
EAN Code	4892210110688

Standard equipment (LTS180M)

Hex key, water bottle

Compatible Accessories

	Name: TSBA1
	Product Code: 5132002473

ONE+ EMS190DCL 18V Cordless Mitre Saw

- Cordless Mitre saw cuts up to 38x108mm at 90°
- Exactline laser accurately aligns the cut line with the blade
- Pre-select mitre angles at 0,15,22.5,31.6 and 45° and bevel from 0-45°
- Thin Kerf 24T carbide tipped blade for improved performance and longer runtime
- Extremely compact and lightweight for great portability
- Make up to 189 cross cuts (22x100mm) combined with the Lithium+ 5.0Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	190
Max. cutting capacity 0 mitre/ 45° bevel [mm]	19 x 114mm
Max. cutting capacity 45° mitre/ 0° bevel [mm]	31 x 82mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	19 x 82mm
Weight (without battery) (Kg)	7.1
Article Number	5133000932
EAN Code	4892210116895

Standard equipment (EMS190DCL)

1 x 24 TCT blade, 1 x clamp, dust bag, wrench

ONE+ R18MS216-0 18V Cordless Sliding Mitre Saw

NEW

- Cordless sliding mitre saw cuts up to 70x270mm at 90°
- Pre selected miter angles to 45° and bevel from 0 to 45°
- Premium thin kerf 216mm blade with 48 carbide tipped teeth provides superb performance and cut quality
- Premium cast aluminium table base provides a perfectly flat cutting surface
- On board laser for maximum visibility of cut line
- Make up to 315 cross cuts in 2 x 4 timber (50mm x 100mm) timber with the Lithium+ 5.0Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade diameter (mm)	216mm
Max. cutting capacity 0 mitre/ 45° bevel [mm]	48mm x 270mm
Max. cutting capacity 45° mitre/ 0° bevel [mm]	70mm x 185mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	48mm x 185mm
Weight (without battery) (Kg)	14.4
Article Number	5133003597
EAN Code	4892210156952

Standard equipment (R18MS216-0)

48 teeth tungsten carbide tipped blade

18V Cordless Compound Mitre Saw

EXCEPTIONAL CAPACITY

70mm x 270mm at
90° cut capacity

OUTSTANDING ACCURACY

Laser guide for
outstanding accuracy

NEW
SLIDING
MITRE SAW



R18MT-0 18V Cordless Multi Tool

NEW

- A versatile multi purpose tool that cuts drywall, metal, wood, plastic, composite and many other materials; it also sands the finest details
- Plunge cuts into any material quickly and easily or cut flush, right up to a surface without damaging it
- 4 position pivoting head makes it even easier to cut and sand in those hard-to-reach areas
- Tool-less blade clamp for quick and easy accessory changes
- 6 position variable speed wheel for ultimate control across a range of applications
- The universal accessory adaptor included makes this tool compatible with any brand of accessories
- Performs up to 750 plunge cuts in 13mm pine when combined with our 5.0Ah Lithium+ battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Oscillation angle (°)	3.2°
Oscillation rate (opm)	10,000-20,000
Weight (without battery) (Kg)	1.0
Article Number	5133002466
EAN Code	4892210136534

Standard equipment (R18MT-0)

Plunge cutting blade, flush cutting blade, sanding pad, 5 sanding sheets and a universal accessory adaptor

Compatible Accessories

	Name: RAK05MT Product Code: 5132002787		Name: RAK15MT Product Code: 5132002809
---	---	---	---



RMT1801M 18V Cordless Multi Tool

- A versatile multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- LED lights up your work area for better visibility
- Variable speed for ultimate control across a range of applications
- Universal accessory adaptor makes the product compatible with any brand of accessories



Power	18V
No. of batteries supplied	0
Charger included?	No
Oscillation angle (°)	3°
Oscillation rate (opm)	0-20000
Weight (without battery) (Kg)	1.1
Article Number	5133001632
EAN Code	4892210120328

Standard equipment (RMT1801M)

Plunge cutting blade, flush cutting blade, sanding pad, 5 sanding sheets, hex key and a universal accessory adaptor

ONE+ R18PL-0
18V Cordless Planer
NEW

- Cordless planer delivers fast stock removal, ideal for trimming doors and other surfaces leaving a smooth finish
- Adjustable depth of cut from 0-1.6mm and 82mm planing width
- Additional front handle for greater control
- Durable steel planing base with integrated chamfering groove
- Rear mounted kickstand protects work piece
- Dual left and right chip exhaust
- Side fence for precision planing
- Delivers up to 78m of 1.2mm deep cut per charge when combined with our 5.0Ah Lithium+ battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Planing depth (mm)	1.6
Planing width (mm)	82
Rebate depth (mm)	12.5
No load speed (rpm)	11000
Weight (without battery) (Kg)	2.4
Article Number	5133002921
EAN Code	4892210151520

Standard equipment (R18PL-0)

Side fence, dust bag, dust port adaptor, 2x reversible blades

Compatible Accessories

	Name: PB50A2
	Product Code: 5132002602


ONE+ CPL180M
18V Cordless Planer

- Chamfering groove in die-cast front shoe for added precision
- Positive depth adjustment 0-0.4mm
- Additional front handle for greater control
- Side fence included for precision planing
- DustTech™ integrated technology for maximum dust pick-up
- GripZone™ overmould technology for improved comfort with a positive grip



Power	18V
No. of batteries supplied	0
Charger included?	No
Planing width (mm)	50
Planing depth (mm)	0.4
No load speed (rpm)	10,000
Weight (without battery) (Kg)	2.1
Article Number	5133000081
EAN Code	4892210102720

Standard equipment (CPL180M)

side fence, dust bag, wrench, 2x reversible blades

Compatible Accessories

	Name: PB50A2
	Product Code: 5132002602



R18TR-0 18V Cordless Trim Router

NEW

- Cordless trim router ideal for adding edge profiles to enhance any woodworking project
- Micro depth adjustment for precise and accurate cutting
- Aluminum base offers stability and accuracy
- LED lights up your work area for better visibility
- For best performance and runtime we recommend using a 5.0Ah Lithium+ battery RB18L50 which can trim up to 22 metres of pine



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	38
Collet capacity (mm)	6mm & 6.35mm
No load speed (rpm)	29000
Weight (without battery) (Kg)	1.3
Article Number	5133002917
EAN Code	4892210151483

Standard equipment (R18TR-0)

6mm collet, 6.35mm collet, 6.35mm straight cutter, parallel guide

Compatible Accessories

	Name: RAKRBS5
	Product Code: 5132003828



R18BS-0 18V Cordless Belt Sander

NEW

- Powerful and fast 76 x 457mm belt sander ideal for heavy duty applications over large areas
- Remove up to 700g of material per hour
- 3 position front handle gives the added control and versatility for this sander to reach into tight spaces that normal belt sanders cannot
- Dust Bag for efficient collection of dust keeping the work area clean and tidy
- Tool-free belt tracking maximises user control and convenience
- Tool-free lever for fast and convenient sanding belt fitting
- Sand up to 1 and a half doors with the 5.0Ah Lithium+ battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Belt length (mm)	457
Belt width (mm)	76
Belt speed (m/min)	250
Weight (without battery) (Kg)	2.7
Article Number	5133002916
EAN Code	4892210149992

Standard equipment (R18BS-0)

3x Sanding belts, dust bag and dust port adaptor



**R18ROS-0****18V Cordless Random Orbital Sander**

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 2.5mm orbital sanding motion for fast and efficient stock removal
- Random orbital action delivers a swirl free finish
- Built in dust extraction system ensures a clean work environment
- Quick fit hook and loop sanding sheet attachment
- Up to 50 minutes runtime with the 5.0Ah Lithium+ battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Orbit rate [opm]	20,000
Diameter of orbit (mm)	2.5
Sanding pad size (mm)	125
Weight (without battery) (Kg)	1.1
Article Number	5133002471
EAN Code	4892210136855

Standard equipment (R18ROS-0)

3x sanding sheets (80, 120 and 240 grit)

Compatible Accessories

	Name: RO125A110
	Product Code: TBC

**R18SS4-0****18V Cordless Quarter Sheet Sander****NEW**

- Ideal for light to medium work applications such as fine finishing and paint removal
- Remove up to 150g of material per hour
- 1.6mm orbital sanding motion for fast and efficient stock removal
- Dust bag for efficient collection of dust keeping the work area clean and tidy
- Uses 113x106mm hook and loop sanding pads enabling quick and easy sanding pad fitting
- Up to 45 minutes runtime when combined with our 5.0Ah Lithium+ battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Orbit rate [opm]	24000
Diameter of orbit (mm)	1.6
Sanding pad size (mm)	113x106
No load speed (rpm)	12000
Weight (without battery) (Kg)	1.2
Article Number	5133002918
EAN Code	4892210151384

Standard equipment (R18SS4-0)

3x sanding sheets (80, 120 and 240 grit) and dust bag

**R18PS-0****18V Cordless Palm Sander**

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 1.8mm orbital sanding motion for fast and efficient stock removal
- Compact design allows users to sand easily in corners and tight spaces
- Quick fit hook and loop sanding sheet attachment
- Triangular pad design for sanding up to the edge in tight corners



Power	18V
No. of batteries supplied	0
Charger included?	No
Orbit rate [opm]	22,000
Diameter of orbit (mm)	1.8
Sanding pad size (mm)	100x140
Weight (without battery) (Kg)	0.6
Article Number	5133002443
EAN Code	4892210133700

Standard equipment (R18PS-0)

6x sanding sheets (2x60, 2x120 and 2x240 Grit)

Compatible Accessories

	Name: SCS10A
	Product Code: 5132002675



Car Care

Keep your car looking like new with Ryobi's ONE+ cordless tools.
You'll only need one battery to power them all.

Get your car sparkling
on the outside.

18V Cordless Buffer

Article number:
5133002465



Soundtrack to your work.

18V Cordless Radio

Article number:
5133002455



Looking like new on the inside.

18V Cordless Hand Vac

Article number:
5133000077



Need to
change a tyre?

18V Cordless Impact Wrench

Article number:
5133002436



Never get
left in the dark.

18V Cordless Area Light

Article number:
5133002304



Get the pressure
just right.

18V Cordless Inflator

Article number:
5133001834



In the spotlight.

18V Cordless LED Hi-Beam Spotlight

Article number:
5133003372



See how to keep your car looking like new
watching our automotive video online!

youtube.com/RyobiTV

ONE+ R18B-0 18V Cordless Buffer

- Ideal for applying polish and wax to maintain your car's paint finish
- Also great for use on boats, wooden furniture and flooring
- Random orbit motion delivers a swirl free finish
- Powerful motor delivers 2,500 opm maintaining optimum performance during extended use
- Complete the job quickly with a full size 254mm buffing applicator and bonnet
- Crescent shaped handle provides comfort and access to hard to reach spaces
- Up to 120 mins runtime with the 5.0Ah Lithium+ battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Diameter of orbit (mm)	12.5
Oscillation rate (opm)	2500
Size (mm)	254
Weight (without battery) (Kg)	2.0
Article Number	5133002465
EAN Code	4892210135483

Standard equipment (R18B-0)

1x Elastic polishing bonnet, 1x Elastic buffing bonnet

ONE+ R18I-0 18V Cordless Inflator

- Dual Function Inflator/Deflator provides high pressure inflation for tires and high volume for inflatables
- Easy to use controls allow automatic shut off at any pressure you choose and there is a digital pressure readout for accurate inflation
- Connect the hose to a separate port for deflation mode - ideal for packing down air beds or other inflatables
- Convenient switch for high and low pressure selection
- All of the hoses, nozzles and adaptors needed are stored on-board for your convenience



Power	18V
No. of batteries supplied	0
Charger included?	No
High Pressure Hose [mm]	711
High Volume Hose [mm]	756
Max. pressure (bar)	10.3 bar, 150psi
Weight (without battery) (Kg)	1.3
Article Number	5133001834
EAN Code	4892210122780

Standard equipment (R18I-0)

High pressure hose, high volume hose, 3 x air accessories

ONE+ R18F-0 18V Cordless Fan

- Cordless fan ideal for indoor or outdoor use, compact and portable with built in carry handle
- 8 adjustable positions to aim air in multiple directions
- Multiple hanging options for maximum versatility
- 2,100rpm for max air flow or 1,400rpm for increased runtime and quieter operation
- Up to 18 hours runtime with RB18L50 allowing you to run all day or even overnight on one charge



Power	18V
No. of batteries supplied	0
Charger included?	No
Fan speed (rpm)	2,100 / 1,400
Weight (without battery) (Kg)	1.1
Article Number	5133002612
EAN Code	4892210140678

Standard equipment (R18F-0)

None



P620

18V Cordless Speed Sprayer

- Ideal for painting fences, exterior walls, garage doors and outbuildings
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimising overspray
- Suitable for use with any brand paint
- Highly versatile spray system that can be used with varnishes, wood preservatives, enamels, as well as oil-based and water-based paints
- Innovative and patented delivery system also minimizes the need for dilution
- Cordless convenience means paint projects have no limits. Spray up to 4m² per minute
- GripZone™ overmould technology for improved comfort with a positive grip



Power	18V
No. of batteries supplied	0
Charger included?	No
Container capacity (ml)	1000
Paint coverage sprayer (m ² /min)	10
Flow rate (l/h)	20
Weight (without battery) (Kg)	2
Article Number	5133000155
EAN Code	4892210110589

Standard equipment (P620)

vertical tip, horizontal fan tip, viscosity & measuring cup, cleaning kit



R18RH-0

18V Cordless Stereo with Bluetooth®

- Stereo sound from two premium 7W speakers for clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets
- 2 Amp USB Charger port charges many portable electronic devices including smartphones
- Built in equaliser which allows adjustment of bass and treble
- Integrated auxiliary input with storage location for smartphone use
- Low battery indicator advises when 18V ONE+™ battery will need to be recharged
- Provides over 15 hours runtime using the RB18L50 Lithium+ battery



Power	18V
No. of batteries supplied	0
Charger included?	No
Weight (without battery) (Kg)	1.8
Article Number	5133002734
EAN Code	4892210145390

Standard equipment (R18RH-0)

(2) AAA Alkaline Batteries



R18R-0

18V Cordless Radio with Bluetooth®

- Premium speaker provides clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets
- 1 Amp USB Charger port charges many portable electronic devices including smartphones
- Integrated auxiliary input with storage location for smartphone use
- Compact size is durable and easily portable for use at home
- Low battery indicator advises when 18V ONE+™ battery will need to be recharged
- Provides over 24 Hours runtime using the RB18L50 Lithium+ battery



Power	18V
No. of batteries supplied	0
Charger included?	No
Speaker diameter (mm)	90
Speaker output (W)	3
Weight (without battery) (Kg)	0.6
Article Number	5133002455
EAN Code	4892210135476

Standard equipment (R18R-0)

(2) AAA Alkaline Batteries



CHV182M 18V Cordless Hand Vac

- Motor creates strong vacuum suction to easily pick up a variety of dry materials
- Dual filter system captures debris for removal to provide maximum vacuum performance
- Easy-clean dust bowl for quick disposal with no mess
- Crevice tool with built-in slide brush for hard to reach areas
- GripZone™ overmould technology for improved comfort with a positive grip



Power	18V
No. of batteries supplied	0
Charger included?	No
Container capacity (ml)	173
Weight (without battery) (Kg)	0.9
Article Number	5133000077
EAN Code	4892210106339

Standard equipment (CHV182M)

Crevice, brush attachment & washable filter



R18TB-0 18V Cordless Compact Blower

- Ideal for cleaning up work shop dust and dirt including sawdust, wood and metal chippings
- Compact and powerful blower with air speed up to 200 km/h
- 3 Speed control. Low speed optimised for workshop applications, mid speed gives added control while high speed provides maximum power
- Variable speed trigger for pick up and go control
- High quality rubber hose allows for removal of wet debris from surfaces
- Up to 70 minutes runtime per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50



Power	18V
No. of batteries supplied	0
Charger included?	No
Air Flow Speed 1 (km/h)	115
Air Flow Speed 2 (km/h)	150
Air Flow Speed 3 (km/h)	200
Air volume 1 (m³/min)	1.8
Air volume 2 (m³/min)	2.2
Air Volume 3 (m³/min)	2.9
Weight (without battery) (Kg)	1.15
Article Number	5133002915
EAN Code	4892210149985

Standard equipment (R18TB-0)

none



R18ALH-0

18V Cordless Hybrid Area Light

- Switch between cordless and corded power with the innovative Hybrid technology. Works with any Lithium+ battery or electric power with an extension cord
- 20W lifetime LED emits up to 1,800 Lumens
- 360° rotation of the lens and multiple hanging options add versatility
- Compact design with integrated handle for easy transportation and storage
- Up to 240 minutes run time as a cordless light with RB18L40 or plug in an extension for AC power



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	LED
Lumens	1800
Weight (without battery) (Kg)	1.4
Article Number	5133002339
EAN Code	4892210117311

Standard equipment (R18ALH-0)

None

Also Available as

	18V Cordless LED Area Light	
	Name: R18ALW-0	Product Code: 5133002919



R18ALF-0

18V Cordless Folding Area Light

- 20 high power LEDs emit up to 850 Lumens
- Stand, fold or hang almost anywhere, allowing you to work with both hands in a clearly lit environment
- 2 separate banks of LED's so you can choose to have either half of the light on or all 20 LEDs for full power
- CCT (Correlated Colour Temperature) of 5,700K means the light emits a bright white beam of light, helping to see objects better and easier
- CRI (Color Rendering Index) rating of 80, meaning its 80% as good as natural daylight which is ideal for all your various DIY and decorating projects
- Extensive runtime up to 360 minutes with RB18L40



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	LED
Lumens	850
Weight (without battery) (Kg)	0.8
Article Number	5133002304
EAN Code	4892210130525

Standard equipment (R18ALF-0)

None



R18ALU-0

18V Cordless LED Area light

NEW

- Ideal for short to mid distance 0-3M thanks to a frosted lens which decreases glare
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- USB charging port helps you to charge your phone on the go
- 2 brightness settings for added control



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	LED
Lumens	330
Weight (without battery) (Kg)	0.5
Article Number	5133003371
EAN Code	4892210152565

Standard equipment (R18ALU-0)

None

ONE+ RFL180M 18V Cordless Flash Light

- Rotating head directs light where needed
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- Lightweight and durable for every day use
- High power halogen bulb emits up to 150 Lumens with a recommended throw of up to 10 metres



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	Halogen
Weight (without battery) (Kg)	0.3
Article Number	5133001636
EAN Code	4892210120182

Standard equipment (RFL180M)
None

ONE+ R18T-0 18V Cordless LED Torch

NEW

- Ideal for short to mid distance with a recommended throw of up to 20 metres
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- Rotating head helps direct light where needed when using as a work light
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- For best runtime use a 5.0Ah Lithium+ battery which provides up to 36 hours of light



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	LED
Lumens	140
Weight (without battery) (Kg)	0.3
Article Number	5133003373
EAN Code	4892210152589

Standard equipment (R18T-0)
None

ONE+ R18SPL-0 18V Cordless LED Hi-Beam Spotlight

NEW

- Ideal for mid to long distance with a recommended throw of up to 600 metres
- Emits a bright white light and the long lasting LED means you no longer need to replace bulbs
- Can be used with Ryobi ONE+ 18V batteries or 12V car adaptor (included)
- 2 brightness settings for added control and a lock on switch so the light can be used continuously without having to hold the trigger.
- For best runtime use a 5.0Ah Lithium+ battery which provides up to 2 hours of light



Power	18V
No. of batteries supplied	0
Charger included?	No
Bulb type	LED
Lumens	2300
Weight (without battery) (Kg)	0.7
Article Number	5133003372
EAN Code	4892210152572

Standard equipment (R18SPL-0)
12V Car adaptor



RLM18X33H40F

18V Cordless Lawnmower, 33cm Deck (1x4.0Ah)

- 33cm cutting path designed for easy maneuverability around the garden
- 5-position, single point cutting height adjustment from 25-65mm
- Mow right to the perimeter of your garden with EasyEdge™ grass comb feature
- Ergonomic handle design, with 5 height positions to accommodate all users
- Folding and removable handles with a collapsible grass catcher for easy and compact storage



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	4.0
Charger included?	Yes
Charger supplied	120 min
Decksize (cm)	33
Drive mechanism	Push
Mulching capable	Yes
Weight (without battery) (Kg)	10.5
Article Number	5133003701
EAN Code	4892210159984

Standard equipment (RLM18X33H40F)

Mulching plug, 35L grass catcher

Also Available as

	18V Cordless Lawnmower, 33cm Deck	
	Name: OLM1833H	Product Code: 5133002616

Compatible Accessories

	Name: RAC431
	Product Code: 5132002805



RLM18X41H240F

36V Fusion™ Cordless Lawnmower, 40cm Deck, Powered by ONE+ (2x4.0Ah)

- The performance of 36V with Ryobi Lithium Fusion™ technology, powered by dual 18V ONE+ Lithium+ batteries
- 40cm cutting path with metal blade for excellent cutting and mulching
- 5-position, single-point height adjustment from 20mm-70mm
- Mow up to the edge or around flower beds with EasyEdge™ grass comb
- Telescoping, ergonomic handles provide a comfortable mowing experience for users of all heights
- Collapsible handles and grass catcher for easy storage
- 50L grass catcher capacity



Power	36V
No. of batteries supplied	2
Battery pack capacity (Ah)	4.0
Charger included?	Yes
Charger supplied	120 min
Decksize (cm)	40
Drive mechanism	Push
Mulching capable	Yes
Weight (without battery) (Kg)	18.5
Article Number	5133003706
EAN Code	4892210160034

Standard equipment (RLM18X41H240F)

Mulching plug, 50L grass catcher

Also Available as

	36V Fusion Cordless Lawnmower, 40cm Deck, Powered by ONE+	
	Name: OLM1841H	Product Code: 5133002805

Compatible Accessories

	Name: RAC404
	Product Code: 5132002438



**RLM18C36H225F****36V Fusion™ Hybrid Lawnmower, 36cm Deck, Powered by ONE+ (2x2.5Ah)**

- 36V Hybrid cordless and corded lawnmower powered by either two ONE+ 18V batteries or electric power with a cable
- 36cm cutting path designed to easily maneuver around your garden
- Mow right to the perimeter of your garden with EasyEdge™ grass comb feature
- Folding handles and collapsible grass catcher for compact and easy storage
- Up to 5 different adjustable heights for improved comfort
- Vertabrae™ handle design with multiple grip positions and adjustable height for improved comfort



Power	36V
No. of batteries supplied	2
Battery pack capacity (Ah)	2.5
Charger included?	Yes
Charger supplied	75 min
Decksize (cm)	36
Drive mechanism	Push
Mulching capable	Yes
Weight (without battery) (Kg)	15.2
Article Number	5133003704
EAN Code	4892210160010

Also Available as

x2	36V Fusion Hybrid Lawnmower, 36cm Deck, Powered by ONE+ (2x5.0Ah)
Name:	RLM18X36H250F
Product Code:	5133003705

Compatible Accessories

	Name: RAC432
	Product Code: 5132002806

Standard equipment (RLM18C36H225F)

Mulching plug, 45L grass catcher

**RLT1831H25F****18V Hybrid Grass Trimmer, 25/30cm Cutting Width (1x2.5Ah)**

- Innovative 18V Hybrid power allows for either cordless convenience or unlimited runtime to best suit all grass trimming needs
- Adjustable cutting width of 25 or 30cm for great versatility when grass and weed cutting
- EasyEdge™ for quick transitions between edging and trimming modes
- Telescoping boom and adjustable pommel handle provide comfort for any user height
- Three-position pivoting string head for more versatile trimming



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	2.5
Charger included?	Yes
Charger supplied	75 min
Cutting path width (cm)	25/30
Cutting line diameter (mm)	1.6
Line feed system	Auto-feed
Weight (without battery) (Kg)	2.8
Article Number	5133003711
EAN Code	4892210160089

Also Available as

x1	18V Hybrid Grass Trimmer, 25/30cm Cutting Width (1x2.0Ah)
Name:	RLT1831H20F
Product Code:	5133003710

Compatible Accessories

	Name: RAC125
	Product Code: 5132002434

	Name: RAC1392
	Product Code: 5132003565

Standard equipment (RLT1831H25F)

Auto-feed spool



Never run out of power.

Switch seamlessly between cordless or electric power.

Look out for the Hybrid logo on our tools





OLT1833

18V Cordless Brushless Grass Trimmer, 28/33cm Cutting Width

NEW

BRUSHLESS

- 18V premium Brushless motor delivers superior cutting performance to quickly complete even the toughest trimming jobs
- Adjustable cutting width of 28 or 33cm for great versatility when grass and weed cutting
- Variable speed provides optimum control between power and runtime
- Soft-grip ergo handle and lightweight construction for comfort over extended use



Power	18V
No. of batteries supplied	0
Charger included?	No
Cutting path width (cm)	28/33
Cutting line diameter (mm)	2.0
Line feed system	Bump head
Weight (without battery) (Kg)	3.3
Article Number	5133003651
EAN Code	4892210159755

Standard equipment (OLT1833)

Bump feed spool

Also Available as

x1	18V Cordless Brushless Grass Trimmer, 28/33cm Cutting Width (1x5.0Ah)
Name:	RLT18X3350
Product Code:	5133003652

Compatible Accessories

	Name: RAC133
	Product Code: 5132002626



RLT1825M13S

18V Cordless Grass Trimmer, 25cm Cutting Width (1x1.3Ah)

- 25cm cutting path for efficient grass and weed cutting
- EasyEdge™ for quick transitions between edging and trimming modes
- Two-handle design for improved ergonomics
- All-metal boom for durability



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	1.3
Charger included?	Yes
Charger supplied	50 min
Cutting path width (cm)	25
Cutting line diameter (mm)	1.6
Line feed system	Auto-feed
Weight (without battery) (Kg)	1.3
Article Number	5133003723
EAN Code	4892210160294

Standard equipment (RLT1825M13S)

Auto-feed spool


Also Available as

x0	18V Cordless Grass Trimmer, 25cm Cutting Width
Name:	OLT1825M
Product Code:	5133002822

x1	18V Cordless Grass Trimmer, 25cm Cutting Width (1x2.0Ah)
Name:	RLT1825M20S
Product Code:	5133003731

Compatible Accessories

	Name: RAC125
	Product Code: 5132002434

	Name: RAC1392
	Product Code: 5132003565



RLT183225F

18V Cordless Grass Trimmer, 25/30cm Cutting Width (1x2.5Ah)

- Adjustable cutting width of 25 or 30cm for great versatility when grass and weed cutting
- EasyEdge™ for quick transitions between edging and trimming modes
- Telescoping boom and adjustable pommel handle provide comfort for any user height
- Three-position pivoting string head for more versatile trimming



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	2.5
Charger included?	Yes
Charger supplied	75 min
Cutting path width (cm)	25/30
Cutting line diameter (mm)	1.6
Line feed system	Auto-feed
Weight (without battery) (Kg)	2.3
Article Number	5133003709
EAN Code	4892210160065

Standard equipment (RLT183225F)

Auto-feed spool

Also Available as

x0	18V Cordless Grass Trimmer, 25/30cm Cutting Width
Name:	OLT1832
Product Code:	5133002813

x1	18V Cordless Grass Trimmer, 25/30cm Cutting Width (1x2.0Ah)
Name:	RLT183220S
Product Code:	5133003707

Compatible Accessories

	Name: RAC125
	Product Code: 5132002434

	Name: RAC1392
	Product Code: 5132003565

**RBC18X20B4F****18V Cordless Brush Cutter with Bike Handle (1x4.0Ah)**

- High-performance 18V motor provides optimum power for cutting tough grass and long weeds
- 2-in-1 brush cutter/trimmer with both blade and trimmer head for versatility
- 20cm hardened steel TriArc™ cutting blade for tough jobs
- Large 30cm line trimmer cutting path to complete tasks quickly
- Soft-grip bike handle design with variable speed control for extended run time
- Powered by an 18V Lithium+ battery with patented IntelliCell™, which individually monitors and balances each cell to maximise runtime, storage, and safety



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	4.0
Charger included?	Yes
Charger supplied	120 min
Cutting path with Brushcutter (cm)	20
Cutting path with Grass Trimmer (cm)	30
Cutting line diameter (mm)	1.6
Blade speed (rpm)	8000
Weight (without battery) (Kg)	4.3
Article Number	5133003713
EAN Code	4892210160102

Also Available as

	18V Cordless Brush Cutter with Bike Handle
Name:	OBC1820B
Product Code:	5133002619

Compatible Accessories

	Name: RAC114
	Product Code: 5132002669

	Name: RAC108
	Product Code: 5132002650

Standard equipment (RBC18X20B4F)

Tri-Arc™ blade, bump feed spool, Vertebrae™ comfort harness

**OGS1822****18V Cordless Grass Shear and Shrubber**

- 2-in-1 shear and shrubber for versatility around the garden
- Compact, slim, and lightweight design for user comfort
- Quick and easy tool-less blade change between shear and shrubber
- Durable hardened steel blades



Power	18V
No. of batteries supplied	0
Charger included?	No
Shear blade (mm)	120
Shrubber blade (mm)	200
Tooth spacing [mm]	10
Weight (without battery) (Kg)	1.2
Article Number	5133002830
EAN Code	4892210147837

Compatible Accessories

	Name: RAC308
	Product Code: 5132002457

	Name: RAC314
	Product Code: 5132003309

	Name: RPA1822
	Product Code: 5132003300

Standard equipment (OGS1822)

Grass shear blade, shrubbing blade

**OLP1832B****18V Cordless Handheld Lopper****NEW**

- Cordless lopper for effortless pruning, even in hard-to-reach areas
- 18v motor effortlessly cuts through branches up to 32mm thick
- High-quality bypass blades provide 150 kg/m of torque for quickly completing any pruning job
- Soft-grip handles for comfort over extended use



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade type	Bypass
Cutting Capacity (mm)	32
Cutting Angle	Fixed
Length (m)	0.85
Telescopic	No
Weight (without battery) (Kg)	1.5
Article Number	5133002842
EAN Code	4892210147967

Compatible Accessories

	Name: RAC313
	Product Code: 5132003308

Standard equipment (OLP1832B)

-

ONE+ Trees and Hedges



OLP1832BP

18V Cordless Telescoping Pole Lopper

NEW

- Cordless telescoping lopper extends from 2.5m up to 3.6m for effortless pruning even in extended reach applications
- 18v motor effortlessly cuts through branches up to 32mm thick
- High-quality bypass blades provide 150 kg/m of torque for quickly completing any pruning job
- Pivoting cutting head allows for multiple cutting angles
- Soft-grip handles for comfort over extended use



Power	18V
No. of batteries supplied	0
Charger included?	No
Blade type	Bypass
Cutting Capacity (mm)	32
Cutting Angle	0-230°
Length (m)	2-3.6
Telescopic	Yes
Weight (without battery) (Kg)	3.7
Article Number	5133002844
EAN Code	4892210147981


Compatible Accessories



Name:
RAC313
Product Code:
5132003308



Standard equipment (OLP1832BP)



OCS1830

18V Cordless Brushless Chainsaw, 30cm Bar

- High-performance premium Brushless motor for the ultimate cutting experience
- 30cm Oregon® bar and chain
- Automatic oiling system for user convenience
- Tool-less chain tensioning for easy adjustments
- Rear handle with overmould for comfortable use in any orientation
- Mechanical and electrical chain brake for safety



BRUSHLESS™

Power	18V
No. of batteries supplied	0
Charger included?	No
Chain bar length (cm)	30
Chain speed (m/s)	10
Tool-less chain tensioner	Yes
Weight (without battery) (Kg)	3.2
Article Number	5133002829
EAN Code	4892210147820

Standard equipment (OCS1830)

Bar and chain oil, bar sheath

Compatible Accessories



Name:
RAC227
Product Code:
5132002436

**RHT1850H25HS****18V Hybrid Hedge Trimmer, 50cm Blade (1x2.5Ah)****NEW**

- Innovative 18V hybrid power allows for either cordless convenience or unlimited runtime to best suit all hedge trimming needs
- Excellent cutting quality through precision 50cm diamond ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function
- Lightweight and ergonomic, with rear handle overmould, for comfortable cutting over extended periods
- Compatible with HedgeSweep™ attachment for easy removal of clippings



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	2.5
Charger included?	Yes
Charger supplied	75 min
Max. cutting capacity (mm)	22
Blade length (cm)	50
Blade type	Diamond ground
Weight (without battery) (Kg)	2.5
Article Number	5133003660
EAN Code	4892210158017

Also Available as

	18V Hybrid Hedge Trimmer, 50cm Blade
Name:	OHT1850H
Product Code:	5133003657

Compatible Accessories

		Name: RAC311
		Product Code: 5132002864

	Name: RAC305
	Product Code: 5132002437

Standard equipment (RHT1850H25HS)
HedgeSweep™, blade sheath

**RHT184520****18V Cordless Hedge Trimmer, 45cm Blade (1x2.0Ah)****NEW**

- Lightweight and ultra-compact hedge trimmer, perfect for sculpting hedges and maintaining shrubbery
- 45cm diamond-ground blade with a 18mm cut capacity
- High-quality diamond-ground blades for precision cutting
- Overmould for comfort over extended use



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	2.0
Charger included?	Yes
Charger supplied	80 min
Max. cutting capacity (mm)	18
Blade length (cm)	45
Blade type	Diamond ground
Weight (without battery) (Kg)	2.5
Article Number	5133003655
EAN Code	4892210156006

Also Available as

	18V Cordless Hedge Trimmer, 45cm Blade
Name:	OHT1845
Product Code:	5133003654

Compatible Accessories

	18V Cordless Hedge Trimmer, 45cm Blade (1x1.3Ah)
Name:	RHT184513S
Product Code:	5133003803

	Name: RAC311
	Product Code: 5132002864

Standard equipment (RHT184520)
Blade sheath

**RHT1851R20F****18V Cordless Hedge Trimmer, 50cm Blade (1x2.0Ah)**

- High torque motor delivers powerful cutting performance for pruning hedges and shrubs
- Excellent cutting quality through precision 50cm diamond-ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function
- Anti-jam system prevents accidental blocking
- Rotating rear handle with overmould for ease of use in multiple positions
- HedgeSweep™ attachment offers easy removal of clippings



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	2.0
Charger included?	Yes
Charger supplied	60 min
Max. cutting capacity (mm)	22
Blade length (cm)	50
Blade type	Diamond ground
Weight (without battery) (Kg)	2.7
Article Number	5133003714
EAN Code	4892210160119

Also Available as

	18V Cordless Hedge Trimmer, 50cm Blade
Name:	OHT1851R
Product Code:	5133002682

Compatible Accessories

	18V Cordless Hedge Trimmer, 50cm Blade (1x 2.5Ah)
Name:	RHT1851R25F
Product Code:	5133003716

	Name: RAC311
	Product Code: 5132002864

	Name: RAC305
	Product Code: 5132002437

Standard equipment (RHT1851R20F)
HedgeSweep™ attachment, blade sheath



OHT1855R

18V Cordless Hedge Trimmer, 55cm Blade

- High torque motor delivers powerful cutting performance for pruning hedges and shrubs
- Excellent cutting quality through precision 55cm laser cut, diamond ground blades
- Capable of cutting large branches with 22mm blade gap and sawing function
- Anti-jam system prevents accidental blocking
- Rotating rear handle with overmould for ease of use in multiple positions
- HedgeSweep™ attachment offers easy removal of clippings



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	22
Blade length (cm)	55
Blade type	Diamond ground
Weight (without battery) (Kg)	2.8
Article Number	5133002161
EAN Code	4892210821249

Standard equipment (OHT1855R)

HedgeSweep™ attachment, blade sheath

Also Available as

x1	18V Cordless Hedge Trimmer, 55cm Blade (1x2.5Ah)
Name:	RHT1855R25F
Product Code:	5133003832

Compatible Accessories

	Name: RAC311
	Product Code: 5132002864
	Name: RAC305
	Product Code: 5132002437



RHT1850XLIS

18V Cordless Extended Reach Hedge Trimmer, 50cm Blade (1x1.3Ah)

- 50cm blade with 16mm blade gap to cut through branches
- 4-position articulating head for pruning all sizes of hedges and shrubs
- Rotating rear handle for optimum reach in all cutting applications
- Central trigger for easy use in extended reach position
- HedgeSweep™ debris sweeper for easy removal of clippings



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	1.3
Charger included?	Yes
Charger supplied	50 min
Max. cutting capacity (mm)	16
Blade length (cm)	50
Blade type	Diamond ground
Weight (without battery) (Kg)	3.2
Article Number	5133003728
EAN Code	4892210160348

Standard equipment (RHT1850XLIS)

HedgeSweep™ attachment, blade sheath

Also Available as

x0	18V Cordless Extended Reach Hedge Trimmer, 50cm Blade
Name:	OHT1850X
Product Code:	

Compatible Accessories

	Name: RAC805
	Product Code: 5132002765
	Name: RAC311
	Product Code: 5132002864



OPT1845

18V Cordless Pole Hedge Trimmer, 45cm Blade

- Powerful 18V motor easily cuts through hedges and branches
- 45cm diamond ground blades for clean cutting
- Capable of cutting large branches with 18mm blade gap
- 115° articulating cutting head with 4 positions for versatile trimming
- Removable extension shaft for full length of 2.9m for extended reach tasks



Power	18V
No. of batteries supplied	0
Charger included?	No
Max. cutting capacity (mm)	18
Blade length (cm)	45
Blade type	Diamond Ground
Weight (without battery) (Kg)	4.2
Article Number	5133002523
EAN Code	4892210138521

Standard equipment (OPT1845)

Blade sheath, shoulder strap

Also Available as

x1	18V Cordless Pole Hedge Trimmer, 45cm Blade (1x2.0Ah)
Name:	RPT184520
Product Code:	5133003805

Compatible Accessories

	Name: RAC805
	Product Code: 5132002765
	Name: RAC311
	Product Code: 5132002864

**RPP182015S****18V Cordless Pole Pruner, 20cm Bar (1x1.5Ah)**

- 20cm Oregon® bar and chain for effective pruning and cutting
- High torque performance with 5.5m/s chain speed
- Extendable shaft for a reach of up to 4m
- 30° angled cutting head for easy pruning and better control
- Automatic bar and chain lubrication for continuous cutting



Power	18V
No. of batteries supplied	1
Battery pack capacity (Ah)	1.5
Charger included?	Yes
Charger supplied	60 min
Chain bar length (cm)	20
Chain speed (m/s)	5.5
Weight (without battery) (Kg)	4.2
Article Number	5133003721
EAN Code	4892210160270

Standard equipment (RPP182015S)

Bar and chain oil, bar sheath, shoulder strap

Also Available as

x0	18V Cordless Pole Pruner, 20cm Bar
Name:	OPP1820
Product Code:	5133001250

x1	18V Cordless Pole Pruner, 20cm Bar (1x2.0Ah)
Name:	RPP182020
Product Code:	5133003804

Compatible Accessories

Name:	RAC805
Product Code:	5132002765

Name:	RAC234
Product Code:	5132002588

**OBV18****18V Cordless Brushless Blower Vac**

- High-performance Brushless motor technology to blow and vacuum with greater efficiency
- Turbo mode turns up the power for even the toughest jobs
- Over/under combination blower vac to easily switch between modes
- Overmould handle for comfort during extended use
- Variable speed for ultimate control during gardening tasks
- Ideal for hard surfaces, such as driveways, paths, and decks

**COMING SOON**

Power	18V
No. of batteries supplied	0
Charger included?	No
Airflow speed (km/h)	201
Air volume (m³/min)	5.5
Weight (without battery) (Kg)	3.7
Article Number	5133003661
EAN Code	4892210157904

Standard equipment (OBV18)

45L leaf bag, shoulder strap, curb wheels

Compatible Accessories

Name:	RAC364
Product Code:	5132002995

Name:	RAC365
Product Code:	5132003275

BRUSHLESS™**OBL18JB****18V Cordless Jet Blower****NEW**

- High-efficiency jet fan design provides maximum performance
- Variable speed control for ultimate versatility
- Built-in debris scraper to loosen stubborn dirt and leaves
- Overmould handle for comfort during extended use



Power	18V
No. of batteries supplied	0
Charger included?	No
Airflow speed (km/h)	160
Air volume (m³/min)	7.9
Weight (without battery) (Kg)	2.1
Article Number	5133003662
EAN Code	4892210157911

Standard equipment (OBL18JB)

OBL1820S 18V Cordless Blower

- Ideal for hard surface sweeping, such as decks, patios, and driveways
- High speed nozzle provides airflow of 245km/h
- Lightweight design with ultimate cordless convenience makes quick work of clearing jobs
- Overmould for comfort over extended use



Power	18V
No. of batteries supplied	0
Charger included?	No
Air volume (m³/min)	2.6
Airflow speed (km/h)	245
Weight (without battery) (Kg)	1.6
Article Number	5133002663
EAN Code	4892210143488

Standard equipment (OBL1820S)

High speed nozzle

OBL1820H 18V Hybrid Blower

- Innovative 18V Hybrid motor offers the choice to seamlessly switch between cordless and corded power
- Lightweight design with overmould for comfort during extended use
- High speed nozzle provides airflow speed of 250 km/h



Power	18V
No. of batteries supplied	0
Charger included?	No
Air volume (m³/min)	2.8
Airflow speed (km/h)	250
Weight (without battery) (Kg)	1.7
Article Number	5133002340
EAN Code	4892210822673

Standard equipment (OBL1820H)

High speed nozzle

OWS1880 18V Cordless Weed Sprayer

- Pressurises with the touch of a button, removing fatigue from manually pumping to pressurise
- 3.5L tank with built-in measuring cup
- Integrated lance design for single-handed operation
- Adjustable spray tip for variable spray



Power	18V
No. of batteries supplied	0
Charger included?	No
Flow rate (l/h)	30
Tank capacity (l)	3.5
Weight (without battery) (Kg)	1.5
Article Number	5133002676
EAN Code	4892210144447

Standard equipment (OWS1880)

**OSS1800****18V Cordless Seed Spreader****NEW**

- Works with dry material including seed, fertiliser, and feed
- Variable flow rate and adjustable distribution area from 2.5m to 3.5m for control
- Anti-clog agitator keeps material flowing
- Holds up to 4L of dry material



Power	18V
No. of batteries supplied	0
Charger included?	No
Capacity (l)	4
Weight (without battery) (Kg)	1.4
Article Number	5133003729
EAN Code	4892210160201

Standard equipment (OSS1800)

-

**OBR1800****18V Cordless Insect Repeller****NEW**

- Repels insects through refillable repellent mats, without open flame, smoke or irritating smells
- Creates 5m zone of protection in all directions, for a 25m² insect free zone
- LED lantern with three brightness levels
- Handle and hook for easy placement anywhere in the garden
- Repellent mats are quick and easy to change, with additional on board mat storage



Power	18V
No. of batteries supplied	0
Charger included?	No
Zone of protection (m ²)	25
Weight (without battery) (Kg)	0.3
Article Number	5133003730
EAN Code	4892210160218

Standard equipment (OBR1800)

15x repellent mats

Compatible Accessories

	Name: RAC813
	Product Code: 5132003906

**OES18****ONE+™ EasyStart™ for starting Petrol tools at the push of a button**

- ONE+™ EasyStart™ ensures effortless starting of compatible petrol tools. No need to ever pull the cord again
- The easy way to start your compatible petrol hedge trimmer, brush cutter or grass trimmer
- Compatible Petrol Hedge Trimmer: RHT25X60RO
- Compatible Petrol Grass Trimmer: RLT254CDSO
- Compatible Petrol Brush Cutters: RBC254SESO, RBC254SBSO, RBC254SBO, RBC31SESO, RBC31SBO, RBC42FSBO, RBC47SEO, RBC52FSBO, RBC52FSBOS
- The ONE+ EasyStart™ Module is part of the ONE+ System. Where one battery fits over 70 tools for the home and garden



Article Number	5132002803
EAN Code	4892210140012

Standard equipment (OES18)

-

Also Available as

	ONE+™ EasyStart™ for starting Petrol tools at the push of a button (incl. battery and charger)	
	Name: OES1813	Product Code: 5132002804



RB18L13

18V 1.3Ah Lithium Battery

- Powerful 1.3Ah Lithium battery
- Tough pack design with built in impact protection for long term durability



Article Number 5133001904
EAN Code 4892210124074



RB18L15

18V 1.5Ah Lithium+ Battery

- Powerful 1.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety



Article Number 5133001905
EAN Code 4892210124081



RB18L20

18V 2.0Ah Lithium+ Battery

- Powerful 2.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Tough pack design with built in impact protection for long term durability



Article Number 5133002737
EAN Code 4892210145093



RB18L25

18V 2.5Ah Lithium+ Battery

- Powerful 2.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety



Article Number 5133002237
EAN Code 4892210129062



RB18L40

18V 4.0Ah Lithium+ Battery

- Powerful 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety



Article Number 5133001907
EAN Code 4892210124104



RB18L50

18V 5.0Ah Lithium+ Battery

- Powerful 5.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety



Article Number 5133002433
EAN Code 4892210135940

**RB18L30****18V 3.0Ah Lithium+ HIGH ENERGY Battery**

- Powerful 3.0Ah Lithium+ HIGH ENERGY battery provides 3 times more runtime and 20% more power than previous lithium technologies
- High Power battery cells generate up to 25% less heat in high demand applications which maximises runtime
- New highly efficient 4 tab design makes it easier for energy to flow increasing power by up to 20%
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- Tough pack design with built in impact protection for long term durability
- Cut up to 63 metres of 11mm OSB with R18CS
- Runtime can vary by tool, battery and application

**COMING SOON**

Article Number	5133002867
EAN Code	4892210149343

LiLithium+18V
**HIGH
ENERGY**

**RB18L60****18V 6.0Ah Lithium+ HIGH ENERGY Battery**

- Powerful 6.0Ah Lithium+ HIGH ENERGY battery provides 3 times more runtime and 20% more power than previous lithium technologies
- High Power battery cells generate up to 25% less heat in high demand applications which maximises runtime
- New highly efficient 4 tab design makes it easier for energy to flow increasing power by up to 20%
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- Tough pack design with built in impact protection for long term durability
- Cut up to 136 metres of 11mm OSB with R18CS
- Runtime can vary by tool, battery and application

**COMING SOON**

Article Number	5133002866
EAN Code	4892210149367

LiLithium+18V
**HIGH
ENERGY**

**RB18L90****18V 9.0Ah Lithium+ HIGH ENERGY Battery**

- Powerful 9.0Ah Lithium+ HIGH ENERGY battery provides 3 times more runtime and 20% more power than previous lithium technologies
- High Power battery cells generate up to 25% less heat in high demand applications which maximises runtime
- New highly efficient 4 tab design makes it easier for energy to flow increasing power by up to 20%
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- Tough pack design with built in impact protection for long term durability
- Cut up to 204 metres of 11mm OSB with R18CS
- Runtime can vary by tool, battery and application

**COMING SOON**

Article Number	5133002865
EAN Code	4892210149381

LiLithium+18V
**HIGH
ENERGY**



RC18150

18V ONE+ Fast charger

- The fastest ONE+ charger ever. Charges at a rate of 5.0Amp/h meaning you can charge a 5.0Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability
- Ready to go indicator shows when the battery has reached 80% capacity

Article Number	5133002638
EAN Code	4892210141873



RC18120

18V ONE+ Compact Charger

- Compact fast charger. Charges at a rate of 2.0Amp/h meaning you can charge a 2.0Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability
- Ready to go indicator shows when the battery has reached 80% capacity

Article Number	5133002891
EAN Code	4892210150103



RC18115

18V ONE+ Compact Charger

- Compact fast charger. Charges at a rate of 1.5Amp/h meaning you can charge a 1.5Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability

Article Number	5133003589
EAN Code	4892210156372



RC18118C **18V ONE+ In-Car Charger**

- Plugs into vehicle's 12V DC outlet, giving you the flexibility to charge batteries while driving or when access to power is limited
- ONE+ charger compatible with all ONE+ 18V Lithium+ batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature while charging ensuring long term durability
- Protective electronics audibly warns you and shuts down the charger if your vehicle's battery is too low



Article Number	5133002893
EAN Code	4892210150134

RC18627 **18V ONE+ 6-Port Charger**

- Power on demand - 6 port charging station makes an ideal hub to store all your ONE+ batteries
- Charges at a rate of 2.7Amp/h meaning you can charge a 2.5Ah battery in 1 hour
- ONE+ charger compatible with all ONE+ 18V Lithium ion batteries
- Indicator lights show the status as batteries are charged and maintained
- Intelligent condition monitoring, evaluates the battery's voltage and temperature before charging ensuring long term durability



Article Number	5133002630
EAN Code	4892210140906

Approximate charge time in minutes

			1.3Ah	1.5Ah	2.0Ah	2.5Ah	4.0Ah	5.0Ah
		Charge Rate (Amps/hour)						
	RC18115	1.5	50	60	80	100	160	200
	RC18120	2	40	45	60	75	120	150
	RC18150	5	20	25	30	40	50	60
	RC18627	2.7	30	35	45	60	90	120
	RC181186	1.8	45	60	70	80	120	150

For further technical specifications please search for the tool at www.ryobitools.eu and look at the owners manual

4V / 7V / 12V / 14.4V

4V Tools	47
7V Tools	47–48
12V Tools	48
14.4V Tools	49



4V / 7V / 12V / 14.4V

RYOBI®

ERGO

4V Cordless ERGO Screwdriver

- Ideal for household screwdriving applications such as assembling flat pack furniture
- Bright LED light for working in dimly lit areas
- Includes 10 screwdriving bits to accommodate many different screws
- Up to 5Nm screwdriving force
- Quick change hex chuck for easy bit changes
- The ERGO comes in a durable zipper case, great for storing screwdriver bits and screws in
- Easy charging with the micro USB cable supplied
- Screwdrive up to 80 screws per charge



Power	4V
No. of batteries supplied	1
Charger supplied	3 hr
Max. torque (Nm)	5
Tool reception	1/4" Hex
Weight (kg)	0.4
Supplied in	Plastic case
Article Number	5133003411
EAN Code	4892210154651

Standard equipment (ERGO)

10 piece screwdriver bit set and micro USB charging cable

Compatible Accessories

	Name: ERGO CLUTCH Product Code: 5133003690
---	---

	Name: ERGO OFFSET Product Code: 5133003691
---	---

	Name: ERGO RIGHT ANGLE Product Code: 5133003692
--	--



ERGO-A2

4V Cordless ERGO Screwdriver Kit

- Ideal for household screwdriving applications such as assembling flat pack furniture
- Includes ERGO OFFSET and ERGO RIGHT ANGLE adaptors for working at awkward angles and in tight spaces
- Includes 10 screwdriving bits to accommodate many different screws
- Up to 5Nm screwdriving force
- Quick change hex chuck for easy bit changes
- Bright LED light for working in dimly lit areas
- The ERGO comes in a durable zipper case, great for storing screwdriver bits and screws in
- Easy charging with the micro USB cable supplied
- Screwdrive up to 80 screws per charge



Power	4V
No. of batteries supplied	1
Charger supplied	3 hr
Max. torque (Nm)	5
Tool reception	1/4" Hex
Weight (without battery) (Kg)	0.36
Supplied in	Plastic case
Article Number	5133003408
EAN Code	4892210154644

Standard equipment (ERGO-A2)

10 piece screwdriver bit set, ERGO OFFSET adaptor, ERGO RIGHT ANGLE adaptor and micro USB charging cable

Compatible Accessories

	Name: ERGO CLUTCH Product Code: 5133003690
---	---

	Name: ERGO OFFSET Product Code: 5133003691
---	---

	Name: ERGO RIGHT ANGLE Product Code: 5133003692
--	--

For further technical specifications please search for the tool at www.ryobitools.eu and look at the owners manual

R7SD-L13G

7.2V Cordless Drill Driver

- 7.2V Lithium Ion Drill ideal for many household applications ranging from cabinetry, hanging curtains, and other do-it-yourself projects
- Compact and lightweight design for prolonged use
- 10mm chuck fits various drilling / driving accessories
- LED light illuminates work surfaces for increased visibility
- Variable speed trigger for added control while screwdriving
- On-board fuel gauge displays remaining power



Power	7.2V
No. of batteries supplied	1
Charger supplied	6 hr
Max. torque (Nm)	10
Chuck capacity (mm)	10
Max. drilling wood (mm)	10
Max. drilling steel (mm)	5
Weight (kg)	0.9
Article Number	5133002484
EAN Code	4892210137692

Standard equipment (R7SD-L13G)

24 screwdriver bits

Compatible Accessories

	Name: RAK31MSDI
	Product Code: 5132002817

RMT12011L

12V Cordless Multi Tool

- A versatile and compact multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Universal accessory adaptor makes the product compatible with any brand of accessories



Power	12V
No. of batteries supplied	1
Charger supplied	60 min
Oscillation angle (°)	3 Degrees
Oscillation rate (opm)	20,000
Weight (without battery) (Kg)	1.9
Supplied in	Tool bag
Article Number	5133001154
EAN Code	4892210118455

Standard equipment (RMT12011L)

1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor

Compatible Accessories

	Name: RAK05MT
	Product Code: 5132002787

RRS12011L

12V Cordless Reciprocating Saw

- 2-in-1 saw with inter-changeable blade to enable the saw to be used in either reciprocating or jigsaw modes, making it ideal for a range of tasks
- Variable speed for optimum control in all applications
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Safety lock off switch to avoid accidental starting



Voltage (V)	12
No. of batteries supplied	1
Charger supplied	60 min
No load speed (rpm)	3200
Stroke length (mm)	13
Max. cutting capacity wood (mm)	60
Weight with battery pack (kg)	1.8
Supplied in	Tool bag
Article Number	5133001160
EAN Code	4892210118516

Standard equipment (RRS12011L)

1 x wood blade, 1 x metal blade, 1 x jigsaw blade

Compatible Accessories

	Name: RAK3RBWM
	Product Code: 5132002813

4V / 7V / 12V / 14.4V

RYOBI®**R12DD-L13S****12V Cordless Drill Driver**

- 2 speed drill driver with light and compact design
- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- LED work light to illuminate the work piece
- fuel gauge to indicate power levels



Power	12V
No. of batteries supplied	1
Charger supplied	60 min
Max. torque (Nm)	30
Chuck capacity (mm)	10
No load speed gear 1 (rpm)	0-400
No load speed gear 2 (rpm)	0-1500
Max. drilling wood (mm)	25
Max. drilling steel (mm)	10
Torque settings	22
Weight (without battery) (Kg)	1.7
Supplied in	Tool bag
Article Number	5133001800
EAN Code	4892210122537

Also Available as

x2	12V Cordless Drill/Driver (2x1.3Ah)
Name:	R12DD-LL13S
Product Code:	5133001802

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176
	Name: RAK69MIX
	Product Code: 5132002687

Standard equipment (R12DD-L13S)

1 x double ended screwdriver bit

RCD12012L**12V Cordless Drill Driver**

- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- Light and compact - ideal for use throughout the house
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Electronic variable speed, reverse and break for total control
- Single sleeve chuck makes it easy to change accessories
- Soft touch trigger and gear switch for user comfort
- Ergonomic GripZone+ with microtexture for a positive grip



Power	12V
No. of batteries supplied	2
Charger supplied	60 min
Max. torque (Nm)	25
Chuck capacity (mm)	10
Max. drilling wood (mm)	25
Max. drilling steel (mm)	10
Weight (without battery) (Kg)	2
Supplied in	Tool bag
Article Number	5133001158
EAN Code	4892210118479

Also Available as

x1	12V Cordless Drill/Driver (1x1.3Ah)
Name:	RCD12011L
Product Code:	5133001157

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176
	Name: RAK69MIX
	Product Code: 5132002687

Standard equipment (RCD12012L)

1 x double ended bit

R14DDE-LL15S**14.4V Cordless Drill Driver**

- Ergonomic handle for great comfort and control
- 13mm keyless chuck
- Electronic quick mode selection
- 20 electronic torque control settings for total control
- LED work light for working in dimly lit areas
- 3 stage fuel gauge displays remaining power
- Powerful motor provides up to 45Nm torque
- 2 gears with no load speed of up to 1450 rpm for faster task completion
- Lithium+ battery technology give more power, longer runtime and better durability than our previous lithium batteries
- Soft touch trigger, gear switch and battery latch for user comfort
- Super Compact measuring only 212mm in height and 186mm in length
- High drilling capacities, up to 32mm in wood



Power	14.4V
No. of batteries supplied	2
Charger supplied	60 min
Max. torque (Nm)	45
Chuck capacity (mm)	13
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
No load speed gear 1 (rpm)	0-400
No load speed gear 2 (rpm)	0-1450
Torque settings	20 e-Torque
Weight (without battery) (Kg)	1.3
Supplied in	Tool bag
Article Number	5133001900
EAN Code	4892210123626

Also Available as

x2	14.4V Cordless Drill Driver (2x2.5Ah)
Name:	R14DDE-LL25S
Product Code:	5133002212

Compatible Accessories

	Name: RAK10MSDI
	Product Code: 5132003176
	Name: RAK69MIX
	Product Code: 5132002687

Standard equipment (R14DDE-LL15S)

1 x double ended screwdriver bit

For further technical specifications please search for the tool at www.ryobitools.eu and look at the owners manual



ELECTRIC CONTENTS

Drilling	54–57
Metal Working	57–60
Sawing	61–63
Woodworking	64–68
Decorating	69

RPD500-G**500W Corded Percussion Drill**

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort



Power	500W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	3,000
Percussion rate gear 1	0-50,000
Max. drilling wood (mm)	25
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Weight (kg)	1.6
Article Number	5133001832
EAN Code	4892210122766

Compatible Accessories

	Name: RAK30MIX
	Product Code: 5132002254

Standard equipment (RPD500-G)

360° Auxiliary handle, depth stop

RPD680-K**680W Corded Percussion Drill**

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- Gripzone™ overmould for positive grip and improved comfort
- Single sleeve (auto spindle lock) chuck



Power	680W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.7
Supplied in	Kitbox
Article Number	5133002016
EAN Code	4892210125934

Compatible Accessories

	Name: RAK30MIX
	Product Code: 5132002254

Standard equipment (RPD680-K)

360° Auxiliary handle, depth stop

RPD800-K**800W Corded Percussion Drill**

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- Gripzone™ overmould for positive grip and improved comfort
- Single sleeve (auto spindle lock) chuck
- Built in LED light ensures your work piece is always well lit and clearly visible



Power	800W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	34
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.8
Supplied in	Kitbox
Article Number	5133002018
EAN Code	4892210125910

Compatible Accessories

	Name: RAK08SDS
	Product Code: 5132002262

Standard equipment (RPD800-K)

360° Auxiliary handle, depth stop



RPD1010-K 1010W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2 gears to control the max speed to match different materials and applications
- Built-in LED light ensures your work piece is always well lit and clearly visible



Power	1010W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
Percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/13
Max. drilling masonry (mm)	16/20
Weight (kg)	3.05
Supplied in	Kitbox
Article Number	5133002058
EAN Code	4892210126764

Compatible Accessories

	Name: RAK69MIX Product Code: 5132002687		Name: RAK95DDF Product Code: 5132002240
---	--	---	--

Standard equipment (RPD1010-K)

360° Auxiliary handle, depth stop



RPD1200-K 1200W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2 gears to control the max speed to match different materials and applications
- Built-in LED light ensures your work piece is always well lit and clearly visible



Power	1200W
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
Percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/16
Max. drilling masonry (mm)	18/22
Weight (kg)	3.2
Supplied in	Kitbox
Article Number	5133002067
EAN Code	4892210126788

Compatible Accessories

	Name: RAK69MIX Product Code: 5132002687		Name: RAK95DDF Product Code: 5132002240
---	--	---	--

Standard equipment (RPD1200-K)

360° Auxiliary handle, depth stop

RSDS680-G**680W Corded SDS+ Rotary Hammer Drill**

- Pneumatic hammer mechanism delivers 2.1J EPTA of impact energy ideal for drilling holes in stone and concrete
- 680W motor produces 0-2,150 RPM and 0-5,000 BPM delivering best in class drilling performance of 22mm in concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Compact and lightweight gives the user maximum comfort and control when drilling



Power input (W)	680
Chuck type	
Joule	2.1
No load speed (rpm)	0-2,150
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	30
Max. drilling steel (mm)	13
Weight (kg)	2.7
Supplied in	Kitbox
Article Number	5133002635
EAN Code	4892210141934

Compatible Accessories

	Name:
	RAK08SDS
	Product Code: 5132002262

Standard equipment (RSDS680-G)

360° Auxiliary Handle, Depth Stop, 1x 6mm drill bit

RSDS800-K**800W Corded SDS+ Rotary Hammer Drill**

- Pneumatic hammer mechanism delivers 2.95J EPTA of impact energy ideal for drilling holes in stone and concrete
- 800W motor produces 0-1,450RPM and 0-5,000BPM delivering best in class drilling performance of 28mm in concrete
- Compact and Lightweight L-Shape design allows the user to get closer to the work piece and provides a better balance
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Built-in LED light ensures your work piece is always well lit and clearly visible



Power	800W
Chuck type	SDS+
Joule	2.95
No load speed (rpm)	0-1,450
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	28
Weight (kg)	3.4
Supplied in	Kitbox
Article Number	5133002463
EAN Code	4892210136558

Standard equipment (RSDS800-K)

360° Auxiliary Handle, Depth Stop, 1x 6mm SDS+ Drill bit

Compatible Accessories

	Name:
	RAK08SDS
	Product Code: 5132002262





RAG600-115G

600W Corded Angle Grinder, 115mm disc

- 600W motor with a high torque gear box
- Class leading grinding speed of 13,000 RPM
- Spindle lock and adjustable 115mm guard for easy wheel and accessory changing
- Slim profile and 2 position handle ensures maximum versatility
- New switch electronics prevent accidental starting when plugged into power mains by defaulting to off position



Power	600W
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	13,000
Weight (kg)	2.0
Article Number	5133002487
EAN Code	4892210137104

Standard equipment (RAG600-115G)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

RAG750-115G

750W Corded Angle Grinder, 115mm Disc

- Powerful 750W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 115mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New switch electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power	750W
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Article Number	5133002489
EAN Code	4892210137128

Standard equipment (RAG750-115G)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

RAG800-115G

800W Corded Angle Grinder, 115mm Disc

- Powerful 800W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 115mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New switch electronic prevents accidental starting when plugged into power mains by defaulting to off position



Power	800W
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Article Number	5133002518
EAN Code	4892210138811

Standard equipment (RAG800-115G)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

RAG800-125G**800W Corded Angle Grinder, 125mm Disc**

- Powerful 800W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New switch electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power	800W
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Article Number	5133002491
EAN Code	4892210137142

Standard equipment (RAG800-125G)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

Compatible Accessories

	Name: AGDD125A1		Name: RAK6AGD125
	Product Code: 5132002530		Product Code: 5132003149

**RAG950-125S****950W Corded Angle Grinder, 125mm Disc**

- Powerful 950W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power	950W
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Supplied in	Tool bag
Weight (kg)	2.5
Article Number	5133002495
EAN Code	4892210137180

Standard equipment (RAG950-125S)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

Compatible Accessories

	Name: RAK6AGD125
	Product Code: 5132003149



RAG1010-125SF

1010W Corded Angle Grinder, 125mm Disc

- Powerful 1010W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevents accidental starting when plugged into power mains by defaulting to off position
- EASYFIX nut enables tool-less accessory change



Power	1010W
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Supplied in	Tool bag
Weight (kg)	2.5
Article Number	5133002497
EAN Code	4892210137203

Standard equipment (RAG1010-125SF)

1x Grinding Wheel, Wheel Guard, Auxiliary Handle

Compatible Accessories

	Name: AGDD125A1		Name: RAK6AGD125
	Product Code: 5132002530		Product Code: 5132003149



EAG2000RS

2000W Corded Angle Grinder, 230mm Disc

- Full length trigger switch with overmould
- 180° multi-directional rotating back handle for improved comfort and control
- Tool-less wheel guard for quick and easy adjustment
- Two position auxiliary handle with wrench storage
- Spindle lock for easy wheel changing



Power	2000W
Disc diameter (mm)	230
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	6,000
Weight (kg)	6.0
Supplied in	Kitbox
Article Number	5133000550
EAN Code	4892210111807

Standard equipment (EAG2000RS)

1x Grinding Wheel, Wrench, Wheel Guard, Auxiliary Handle

RJS720-G

500W Corded Jigsaw

- Most visible cut line through being compact and slim with forwards dust blower clearing the cut line
- Features such as new flat saw bar, line assist, flush cutting capability increases the accuracy of the cut
- 500W motor with 0-3,000spm produces cut capacities of 72mm in wood and 6mm in steel ensuring no compromise is made in performance



Power	500W
Stroke length (mm)	19
No load stroke rate (spm)	0-3,000
Max. cutting capacity wood (mm)	72
Max. cutting capacity steel (mm)	6
Weight (kg)	1.8
Article Number	5133002238
EAN Code	4892210129239

Standard equipment (RJS720-G)

1x Wood Blade, 1x Hex Key, 1x Dust Port

Compatible Accessories

	Name: RAK6JSBW		Name: RAK10JSBWM
	Product Code: 5132002810		Product Code: 5132002811

RJS750-G

500W Corded Jigsaw

- Most visible cut line delivered by slim profile and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanisms and LINEASSIST
- Quick lock one finger blade clamp allows user to change blade easily
- Most compact and comfortable jigsaw with ergonomic handle and detachable vacuum port



Power	500W
Stroke length (mm)	19
No load stroke rate (spm)	0-3,000
Max. cutting capacity wood (mm)	75
Max. cutting capacity steel (mm)	6
Weight (kg)	1.8
Article Number	5133002215
EAN Code	4892210128317

Standard equipment (RJS750-G)

1x Wood Blade, 1x Hex Key, 1x Dust Port

Compatible Accessories

	Name: RAK6JSBW		Name: RAK10JSBWM
	Product Code: 5132002810		Product Code: 5132002811

RJS850-K

600W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly



Power	600W
Stroke length (mm)	23
No load stroke rate (spm)	500-3,100
Max. cutting capacity wood (mm)	85
Max. cutting capacity steel (mm)	9
Weight (kg)	2.0
Supplied in	Kitbox
Article Number	5133002217
EAN Code	4892210128348

Standard equipment (RJS850-K)

1 x Wood Blade, 1 x Hex Key, 1 x Dust Port

Compatible Accessories

	Name: RAK6JSBW		Name: RAK10JSBWM
	Product Code: 5132002810		Product Code: 5132002811



RJS1050-K 680W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly
- FLUSHCUT blade allows user to cut up to the guard
- Retractable fin helps straight line accuracy



Power	680W
Stroke length (mm)	23
No load stroke rate (spm)	500-3,100
Max. cutting capacity wood (mm)	105
Max. cutting capacity steel (mm)	12
Weight (kg)	2.2
Supplied in	Kitbox
Article Number	5133002219
EAN Code	4892210128379

Standard equipment (RJS1050-K)

1x Wood Blade, 1x Flush Cut Blade, 1x Dust Port

Compatible Accessories

	Name: RAK6JSBW Product Code: 5132002810		Name: RAK10JSBWM Product Code: 5132002811
---	--	---	--



RRS1200-K 1200W Corded Reciprocating Saw

- Powerful 1200W motor produces market leading cutting performance of 0-3,000 RPM. Ideal for demolition jobs!
- 30mm stroke length utilises more of the teeth on the blade
- Tool-less blade clamp for quick and easy blade changes
- Adjustable shoe increases blade life
- Anti-vibration handle ensures the high power doesn't negatively impact on the users experience.
- Overmould cable clip prevents the cable getting in the way of the cutting blade



Power	1200W
Stroke length (mm)	30
No load stroke rate (spm)	0-3000
Max. cutting capacity wood (mm)	200
Max. cutting capacity aluminium (mm)	20
Max. cutting capacity steel (mm)	20
Weight (kg)	5.25
Supplied in	Kitbox
Article Number	5133002472
EAN Code	4892210136954

Standard equipment (RRS1200-K)

1 x 6" Wood Blade, 1 x Hex Key

Compatible Accessories

	Name: RAK3RBWM Product Code: 5132002813
---	--

RCS1400-G

1400W Corded Circular Saw

- Premium 190mm blade with 20 carbide tipped teeth provides superb performance and cut quality
- Powerful 1400W motor delivers 5000rpm to easily cut most timber and sheet materials
- Impressive cut capacities of 66mm at 90°, 55mm at 45°
- Up to 30% more compact and 20% lighter design for comfortable and repetitive cutting



Power	1400W
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Bevel capacity (°)	45
No load speed (rpm)	5,000
Weight (kg)	3.3
Article Number	5133002778
EAN Code	4892210145741

Standard equipment (RCS1400-G)

1 x 20-tooth TCT blade, parallel fence, wrench

Compatible Accessories

	Name: CSB190A1
	Product Code: 5132002580

RCS1600-K

1600W Corded Circular Saw

- Premium 190mm blade with 24 carbide tipped teeth provides superb performance and cut quality
- Powerful 1600W motor delivers 5000rpm to easily cut most timber and sheet materials
- Impressive cut capacities of 66mm at 90°, 55mm at 45°
- Up to 30% more compact and 20% lighter design for comfortable and repetitive cutting
- Integrated laser beam for improved accuracy



Power	1600W
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Bevel capacity (°)	45
No load speed (rpm)	5,000
Supplied in	Kitbox
Weight (kg)	3.7
Article Number	5133002779
EAN Code	4892210145758

Standard equipment (RCS1600-K)

1 x 24-tooth TCT blade, parallel fence, wrench

Also Available as

1600W Corded Circular Saw with sawguide	
Name: RCS1600-KSR	Product Code: 5133003387

Compatible Accessories

	Name: CSB190A1
	Product Code: 5132002580

EWS1150RS

1150W Corded Circular Saw, 55mm Blade

- Adjustable base allows cutting for 0° to 45° bevel settings
- Spindle lock for easy blade change
- Adjustable depth setting for efficient cutting
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into power supply



Power	1150W
Blade diameter (mm)	170
Bore size (mm)	20
Max. cutting depth 90° (mm)	55
Max. cutting depth 45° (mm)	38
Bevel capacity (°)	45°
No load speed (rpm)	5,600
Weight (kg)	4.7
Article Number	5133000552
EAN Code	4892210111487

Standard equipment (EWS1150RS)

12-tooth TCT blade, parallel fence

Compatible Accessories

	Name: CSB190A1
	Product Code: 5132002580

RPS80-G 80W Corded Palm Sander

NEW

- Ideal for light weight applications such as fine finishing and paint preparation
- Compact 80W motor for maximum performance
- Integrated flip down sanding finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Quick fit hook and loop sanding sheet attachment
- DustTech™ for efficient dust collection



Power	80W
Oscillation rate (opm)	24,000
Diameter of orbit (mm)	1.6
No load speed (rpm)	12,000
Sanding pad size (mm)	99x149
Supplied in	Gift box
Weight (kg)	1.0
Article Number	5133002905
EAN Code	4892210150813

Standard equipment (RPS80-G)

3 x corner sandpaper, 3 x finger sandpaper

Compatible Accessories

	Name: SPS20A
	Product Code: 5132002418

RPS100-S 100W Corded Palm Sander

NEW

- Ideal for light weight applications such as fine finishing and paint preparation
- Compact 100W motor for maximum performance
- Integrated flip down sanding finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Quick fit hook and loop sanding sheet attachment
- DustTech™ for efficient dust collection



Power	100W
Diameter of orbit (mm)	1.6
Oscillation rate (opm)	24,000
No load speed (rpm)	12,000
Sanding pad size (mm)	99x149
Supplied in	Tool bag
Weight (kg)	1.1
Article Number	5133002902
EAN Code	4892210150783

Standard equipment (RPS100-S)

5 x corner sandpaper, 5 x finger sandpaper

Also Available as

100W Corded Palm Sander	
Name: RPS100-SA20	Product Code: 5133002906

Compatible Accessories

	Name: SPS20A
	Product Code: 5132002418

RMS180-S 180W Corded Multi-Pad Sander

NEW

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 3 in 1 sander to suit various applications (Corner, 1/3 sheet & flip down finger)
- Powerful 180W motor for maximum performance
- Variable speed (6,000-12,000 rpm) to optimise surface finish
- Cyclonic action dust box for efficient dust collection
- Quick fit hook and loop sanding sheet attachment



Power	180
Diameter of orbit (mm)	2.0
No load speed (rpm)	6,000-12,000
Sanding pad size (mm)	100x176
Supplied in	Tool bag
Weight (kg)	2.0
Article Number	5133002907
EAN Code	4892210150837

Standard equipment (RMS180-S)

5 x corner sandpaper, 5 x third-sheet sandpaper, 5 x finger sandpaper

Also Available as

180W Corded Multi-Pad Sander	
Name: RMS180-SA30	Product Code: 5133002910

Compatible Accessories

	Name: SMS30A
	Product Code: 5132002444

RMS170-G

170W Multi-Pad Sander

NEW

- Quick fit hook and loop sanding sheet attachment
- 3 in 1 sander to suit various applications (Corner, 1/3 sheet & flip down finger)
- Powerful 180W motor for maximum performance
- Variable speed (6,000-12,000 rpm) to optimise surface finish
- Cyclonic action dust box for efficient dust collection
- Quick fit hook and loop sanding sheet attachment



Power	170
Diameter of orbit (mm)	2.0
No load speed (rpm)	6,000-12,000
Sanding pad size (mm)	100x176
Supplied in	Gift box
Weight (kg)	1.6
Article Number	5133002911
EAN Code	4892210150875

Standard equipment (RMS170-G)

2 x corner sandpaper, 2 x third sheet sandpaper, 2 x finger sandpaper

Compatible Accessories

	Name: SMS30A
	Product Code: 5132002444

RSS200-G

200W Third Sheet Sander

NEW

- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 200W motor and durable construction for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook & loop system or manual clamps for added versatility
- Cyclonic action dust extraction system for efficient dust collection
- Low vibration for comfortable sanding



Power	200W
Diameter of orbit (mm)	2.0
Oscillation rate (opm)	24,000
No load speed (rpm)	12,000
Sanding pad size (mm)	93x185
Weight (kg)	1.9
Article Number	5133003500
EAN Code	4892210148766

Standard equipment (RSS200-G)

2 x 60 grit, 1 x 100 grit, 1x 150 grit sanding sheets.

Also Available as

200W Third Sheet Sander	
Name: RSS200-GA20	Product Code: 5133003679

Compatible Accessories

	Name: TSA10
	Product Code: 5132002610



RSS280-S 280W Third Sheet Sander

NEW

- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 280W motor and durable construction for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook & loop system or manual clamps for added versatility
- Cyclonic action dust extraction system for efficient dust collection
- Low vibration for comfortable sanding



Power	280W
Diameter of orbit (mm)	2.0
Oscillation rate (opm)	0-26,000
No load speed (rpm)	0-13,000
Sanding pad size (mm)	93X185
Supplied in	Tool bag
Weight (without battery) (Kg)	2.3
Article Number	5133003502
EAN Code	4892210148780

Standard equipment (RSS280-S)

10x 60 grit, 10x 100 grit, 10x 150 grit sanding sheets.

Also Available as

280W Third Sheet Sander	
Name: RSS280-SA30	Product Code: 5133003680

Compatible Accessories

	Name: TSA10
	Product Code: 5132002610

ROS300A 300W Corded Random Orbit Sander with 20 Sanding Sheets

- Random orbital sander delivers the perfect combination of quick stock removal and fine surface finish
- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 300W motor for maximum performance
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Quick fit hook and loop sanding sheet attachment
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power	300W
Oscillation rate (opm)	14,000-24,000
Oscillation diameter (mm)	2.4
Sanding pad size (mm)	125
Supplied in	Tool bag
Weight (kg)	1.7
Article Number	5133001142
EAN Code	4892210118325

Standard equipment (ROS300A)

20 x quick fix sanding sheets

Compatible Accessories

	Name: RO125A110
	Product Code: TBC

ROS310-SA20 310W Random Orbit Sander with 20 Sanding Sheets

- Random orbital sander delivers the perfect combination of quick stock removal and fine surface finish
- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 310W motor for maximum performance
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Quick fit hook and loop sanding sheet attachment
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power	310W
Diameter of orbit (mm)	2.4
Oscillation rate (opm)	14,000-24,000
No load speed (rpm)	7,000-12,000
Sanding pad size (mm)	125
Supplied in	Tool bag
Weight (kg)	2.9
Article Number	5133003616
EAN Code	4892210157089

Standard equipment (ROS310-SA20)

20 x quick fix sanding sheets

Compatible Accessories

	Name: RO125A110
	Product Code: TBC

EBS800V**800W Corded Belt Sander**

- Ideal for heavy duty applications over large areas such as flooring or substantial stock removal
- 76mm (3") belt with a powerful 800W motor for rapid stock removal
- Variable speed (150-320 m/min) for total control during all sanding applications
- Tool free sanding belt change system for ease of use
- Cyclonic action dust box for efficient dust collection
- 4 position adjustable handle for comfort and control
- Automatic tracking to keep the sanding belt centralised, saving time and ensuring a better finish
- Gripzone+™ overmold for added comfort and control
- Livetool Indicator™ glows blue when plugged into power supply



Power	800W
Belt speed (rpm)	150-320
Belt width (mm)	76
Sanding pad size (mm)	76 x 150
Weight (kg)	3.3
Supplied in	Kitbox
Article Number	5133001146
EAN Code	4892210118301

Standard equipment (EBS800V)

1 x 60 grit sanding sheet, 1 x 100 grit sanding sheet, 1 x 120 grit sanding sheet, 2 x G-clamps, sanding frame

Also Available as

800W Corded Belt Sander 76mm	
Name: EBS800	Product Code: 5133001148

Compatible Accessories

	Name: BSS76A2
	Product Code: 5132002596

RMT200-S**200W Corded Multi Tool**

- A versatile multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- Variable speed for ultimate control across a range of applications
- GripZone™ overmould for a positive grip and improved comfort



Power	200W
Oscillation rate (opm)	10,000-20,000
Oscillation angle (°)	3°
Weight (kg)	1.6
Supplied in	Tool bag
Article Number	5133001818
EAN Code	4892210122629

Standard equipment (RMT200-S)

1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor

Compatible Accessories

	Name: RAK05MT
	Product Code: 5132002787

EHT150V**150W Corded Rotary Tool with 115 Accessories**

- Powerful 150W motor
- Variable speed to maximise control for the widest number of applications
- Spindle lock for fast and easy accessory change
- Livetool Indicator™ glows blue when plugged into power supply



Power	150W
No load speed (rpm)	10,000-35,000
Collet capacity (mm)	3.2 mm and 1.6 mm
Supplied in	Kitbox
Weight (kg)	0.6
Article Number	5133000754
EAN Code	4892210114723

Standard equipment (EHT150V)

115 accessories including a flex shaft and bench clamp



EPN6082CHG 600W Corded Planer

- 0.5mm chamfering groove in diecast front shoe for added precision
- Dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- Kick stand to prevent damage to the work piece when tool is not in use
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into power supply



Power	600W
Planing depth (mm)	1.5
Planing width (mm)	82
Rebate depth (mm)	0-8
No load speed (rpm)	16,000
Weight (kg)	3.1
Article Number	5133000350
EAN Code	4892210111098

Standard equipment (EPN6082CHG)

2 x TCT blades, dust bag, side fence, wrench

Compatible Accessories

	Name: PB50A2
	Product Code: 5132002602

EPN7582NHG 750W Corded Planer

- Ideal for flattening and smooth rough wood surfaces
- 3 chamfering grooves (0.5, 1, 1.5mm) in die-cast front shoe for added precision
- Double sided fence for precision planing
- Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into power supply



Power	750W
Planing depth (mm)	2
Planing width (mm)	82
Rebate depth (mm)	0-12
No load speed (rpm)	16,000
Supplied in	Kitbox
Weight (kg)	3.2
Article Number	5133000352
EAN Code	4892210111111

Standard equipment (EPN7582NHG)

2 x TCT blades, dust bag, side fence, wrench

Compatible Accessories

	Name: PB50A2
	Product Code: 5132002602

RRT1600-K 1600W Corded Router

- Powerful 1600W router makes light work of your woodworking jobs and is ideal for building cabinets
- 0-55mm plunge depth with fine height adjustment for precision control and repeatable cutting with the same settings
- Softstart and in-use speed control gives the user maximum control when using the tool
- Transparent chip deflector clears away chips so you can always see your line of cut
- 5 most common cutters included to give you a comprehensive start in routing



Power	1600W
No load speed (rpm)	10,000 - 26,000
Collet capacity (mm)	6,8
Plunge capacity (mm)	0-55
Weight (kg)	7.6
Article Number	5133002421
EAN Code	4892210133632

Standard equipment (RRT1600-K)

1 x 6mm Straight Cutter, 1 x 6mm V-Groove Cutter, 1 x Dovetail Cutter, 1 x Round Over Cutter, 1 x Chamfer Cutter, 1 x Parallel Guide, Template Guide, Dust Port, 1 x 6mm Collet, 1 x 8mm Collet, 1 x Wrench.

EHG2000**2000W Corded Heat Gun**

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnishes or dries wet paint
- Removable front heat shield allows easy changes between accessories
- Two air flow settings
- Two heat settings 60°C / 600°C
- Overheat protection sensor
- Convenient hanging hook



Power	2000W
Air flow (l/min)	250/500
Weight (kg)	0.7
Article Number	5133001137
EAN Code	4892210118165

Standard equipment (EHG2000)
2 x nozzles

EHG2000LCD**2000W Corded Heat Gun with LCD Display**

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnishes or dries wet paint
- Choose your temperature based on your application
- Includes LCD temperature indicator
- Removable front heat shield allows easy changes between accessories
- Two airflow settings
- Overheat protection sensor
- Convenient hanging hook



Power	2000W
Air flow (l/min)	250/500
Supplied in	Kitbox
Weight (kg)	0.8
Article Number	5133001140
EAN Code	4892210118189

Standard equipment (EHG2000LCD)
4 x nozzles, 1 x scraper



BENCHTOP

Mitre Saws	71-72
Table Saws	72
Wet Tile Saw	73
Band Saw	74
Scroll Saw	74
Grinders	75
Sanders	75-76
Drill Press	76
Thicknesser	77
Leg stands	77



EMS216L

1500W Corded Mitre Saw, 216mm Blade

- Exactline Laser Technology™ for guiding the user and increasing accuracy
- 2 LED's for maximum visibility of cut line
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- An upgraded 1500W motor for more powerful performances
- Extra wide side extensions to support large timber
- Ergonomic GripZone for comfortable and fast cuts



Power	1500W
Blade diameter (mm)	216
Blade type	48-tooth TCT
No load speed (rpm)	5000
Max. cutting capacity 0 mitre/ 45° bevel [mm]	48mm x 270mm
Max. cutting capacity 45° mitre 0 bevel [mm]	70mm x 185mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	48mm x 185mm
Weight (kg)	13
Article Number	5133001197
EAN Code	4892210119384

Also Available as

1500W Corded Compound Slide Mitre Saw with Leg Stand	
Name: EMS216L-LSG	Product Code: 5133002365

Compatible Accessories

	Name: SB216T48A1
	Product Code: 5132002620

Standard equipment (WS721S)

48-tooth TCT blade, 2x extension, work clamp, dust bag, wrench

EMS254L

2000W Corded Mitre Saw, 254mm Blade

- Exactline Laser Technology™ for cutting accuracy
- 2 LED's for maximum work area illumination
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- Powerful 2000 Watt motor, producing 4.500rpm
- Extra wide side extensions to support large timber
- 50 degree left and right mitre capacity



Power	2000W
Blade diameter (mm)	254
Blade type	48-tooth TCT
No load speed (rpm)	4,500
Max. cutting capacity 0 mitre/ 45° bevel [mm]	58mm x 300mm
Max. cutting capacity 45° mitre 0 bevel [mm]	90mm x 200mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	58mm x 200mm
Weight (kg)	16.2
Article Number	5133001202
EAN Code	4892210119148

Compatible Accessories

	Name: SB254T48A1
	Product Code: 5132002622

Standard equipment (EMS254L)

24-tooth TCT blade, 2x extensions, work clamp, dust bag, wrench

RTMS1800-G

1800W Corded Table Mitre Saw, 254mm Blade

- Exactline Laser Technology™ for guiding the user and increasing accuracy
- 1800W motor and a 48TCT blade for powerful performances
- Cast aluminum table that provides a perfectly flat cutting surface and a laser that offers guidance
- Light and compact for easy storage and transportation.
- Ergonomic handle that promises comfortable repeat cuts
- Soft start feature that delivers extra protection
- Overload protection for longer product life expectancy



Power	1800W
Blade diameter (mm)	254
Blade type	48-tooth TCT
No load speed (rpm)	4,800
Max. cutting capacity 0 mitre/ 45° bevel [mm]	48mm x 130mm
Max. cutting capacity 45° mitre 0 bevel [mm]	70mm x 85mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	48mm x 83mm
Weight (kg)	26.8
Article Number	5133002152
EAN Code	4892210128225

Compatible Accessories

	Name: SB254T48A1
	Product Code: 5132002622

Standard equipment (RTMS1800-G)

48-tooth TCT blade, work clamp, dust bag, wrench



EMS305RG

2200W Mitre Saw, 305mm Blade

NEW

- Ideal for a variety of wood working applications including cutting worktops, boards, decking and sheet materials.
- Aluminium die cast base for maximum accuracy and durability
- 48 tungsten carbide blade gives a smooth finish to the application
- Includes 2 LEDs for maximum work area illumination
- Provides a max cross cut of 110x300mm at 90 degrees



Power	2200W
Blade diameter (mm)	305
Blade type	TCT Carbide
No load speed (rpm)	5000
Max. cutting capacity 0 mitre/ 45° bevel [mm]	70mm x 300mm
Max. cutting capacity 45° mitre 0° bevel [mm]	110mm x 210mm
Max. cutting capacity 45° mitre/ 45° bevel (mm)	70mm x 210mm
Weight (kg)	20.7
Article Number	5133002721
EAN Code	4892210119360

Standard equipment (EMS305RG)

48T TCT blade, 2x extension, work clamp, dust bag, wrench



RTS1800-G

1800W Corded Table Saw, 254mm Blade

- Powerful 1800W motor for easy cutting
- Aluminium table top and front & rear locking sides for accurate cutting
- Dual purpose handle for quick and easy height and/ or bevel adjustment
- Overload protection ensures long term durability and added safety
- Mitre gauge allows precise angles to be cut between +60° and -60°



Power	1800W
No load speed (rpm)	4,500
Blade diameter (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 590
Weight (kg)	17.8
Article Number	5133002021
EAN Code	4892210126276

Compatible Accessories

	Name: SB254T48A1
	Product Code: 5132002622

Standard equipment (RTS1800-G)

48-tooth TCT blade

RTS1800ES-G

1800W Corded Table Saw, 254mm Blade, with Stand

- Powerful 1800W motor for easy cutting
- Die cast aluminium table for perfect support and accurate cutting
- Extendable side fence allows increased material support of up to 480mm
- Front and rear locking side fence for accurate and precise cutting
- Dual purpose handle for quick and easy height and / or bevel adjustment
- Overload protection ensures long term durability and added safety
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Built in tool box for additional accessory storage
- Removable and collapsible stand for easy storage



Power	1800W
No load speed (rpm)	4,800
Blade diameter (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 870
Weight (kg)	24.3
Article Number	5133002023
EAN Code	4892210126023

Standard equipment (RTS1800ES-G)

48-tooth TCT blade, Collapsible stand

Compatible Accessories

	Name: SB254T48A1
	Product Code: 5132002622

RTS1800EF-G

1800W Corded Table Saw, 254mm Blade, with Wheeled Stand

- Powerful 1800W motor for easy cutting
- Die cast aluminium table for perfect support and accurate cutting
- Extendable side fence allows increased material support up to 480mm
- Front and rear locking side fence for accurate and precise cutting
- Dual purpose handle for quick and easy height and/ or bevel adjustment
- Overload protection ensures long term durability and added safety
- Soft start ensures the product is easy to use and protects long term durability
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Built in tool box for additional accessory storage
- Deluxe collapsible stand with wheels for easy storage and transportation



Power	1800W
No load speed (rpm)	4,500
Blade diameter (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 870
Weight (kg)	26.8
Article Number	5133002025
EAN Code	4892210125996

Standard equipment (RTS1800EF-G)

48-tooth TCT blade, Deluxe collapsible stand

Compatible Accessories

	Name: SB254T48A1
	Product Code: 5132002622

WS721S

500W Corded Wet Tile Saw, 178mm Blade

- Stainless steel cutting table for increased durability Ideal for cutting a variety of material including canvas, sheet metal, packaging (PVC), chicken wire, cardboard, lino flooring, carpet, denim and leather
- Mitre guide for making mitre cuts from 0 to 45 degrees
- The rip guide locks along the front and rear of the table for added stability
- Folding leg stand provides secure platform with convenient portability
- 17.8cm continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Integrated water tray for dust free cutting
- Circuit breaker plug for additional safety when wet cutting
- Integrated water tray for dust free cutting



Power	500W
No load speed (rpm)	2,900
Blade diameter (mm)	178
Bore size (mm)	25.4
Max. cutting depth (mm)	32
Bevel capacity (°)	45
Weight (kg)	15.7
Article Number	5133002020
EAN Code	4892210126214

Standard equipment (WS721S)

Diamond blade, stand, mitre fence and rip fence

Compatible Accessories

	Name: TSB180A1
	Product Code: 5132002694



RBS904 350W Band Saw

NEW

- Designed for a variety of woodworking applications
- Features a blade tracking sight window and rack and pinion blade support adjustment system for greater accuracy
- Delivers a 230mm throat capacity and a 80mm cutting capacity (height) to tackle the most versatile applications
- Precision aluminium interior blade wheels minimise vibration



Power	350W
No load speed (m/min)	40
Max. cutting depth (mm)	80
Blade length (mm)	1572
Blade width (mm)	3.2-9.5
Article Number	5133002714
EAN Code	4892210125811

Standard equipment (RBS904)

Extension support, push stick, hex keys, blade and mitre gauge

Compatible Accessories

	Name: RAKBS6TPI Product Code: 5132003385		Name: RAKBS14TPI Product Code: 5132003386
---	---	---	--



RSW1240G 125W Scroll Saw

NEW

- Features a 405mm maximum cutting capacity and easy, tool-free blade changes
- Cast aluminium table tilts from 0 to 45 degrees
- A variable-speed design offers flexibility to power through a variety of applications
- Integrated dust blower keeps the cutting surface clear of debris for maximum visibility
- Cast iron base reduces vibration for a more accurate cut
- Tool-free blade clamp accepts plain and pin end blades



Power	125W
Max. cutting depth (mm)	52
Blade diameter (mm)	127
Blade speed (rpm)	550-1700
Angle capacity (°)	0-45
Stroke length (mm)	20
Article Number	5133002720
EAN Code	4892210122476

Standard equipment (RSW1240G)

Blade, allen key, pinless blade adapter

Compatible Accessories

	Name: SSB18TPI Product Code: 5132002898
---	--

RBG6G
250W Bench Grinder**NEW**

- Designed for grinding and sharpening the toughest metals into shape & keeping your tools & hardware sharp and ready for use
- Cast aluminium base reduces vibration and improves stability



Power	250W
No load speed (rpm)	2850
Wheel size (mm)	150x20
Bore size (mm)	12.7
Wheel grit	36 / 60
Article Number	5133002716
EAN Code	4892210120410

Standard equipment (RBG6G)

36/60 grit grinding wheels, 2x protective lens,
2x work supports

RBGL650G
370W Grinder Sander**NEW**

- Designed to tackle a variety of different applications including sanding, shaping, grinding and sharpening
- Inbuilt work light for superior visibility of application
- Includes coolant tray to help cool materials following grinding



Power	370W
No load speed (rpm)	2850
Sanding belt size (mm)	50 x 686
Wheel size (mm)	150 x 20
Wheel grit	36
Article Number	5133002717
EAN Code	4892210122483

Standard equipment (RBGL650G)

36 grit grinding wheel, sanding belt,
protective lens, 2x work supports

Compatible Accessories

	Name: BSS50A5
	Product Code: 5132003684





RBDS4601G 375W Belt and Disc Sander

NEW

- Ideal tool for all of your residential sanding needs
- Powerful induction motor for long lasting dependable performance
- Belt can be positioned horizontally or vertically at 0 or 90 degrees
- Built in dust port for vacuum hook up
- Cast iron base keeps the unit stable during use



Power	375W
Belt speed (rpm)	492
Sanding belt size (mm)	100 X 914
Disc speed (rpm)	2850
Disc diameter (mm)	150
Weight (kg)	18.5
Article Number	5133002718
EAN Code	4892210122490

Standard equipment (RBDS4601G)

Mitre table, mitre fence, 1x sanding belt, 1x sanding disc

Compatible Accessories

	Name: BSS100A5		Name: SD150A10
	Product Code: 5132003683		Product Code: 5132003685



RDP102L 390W Drill Press

NEW

- Designed to drill precise and uniform holes at different angles
- Built in lasers provide precise prediction of drilling location
- Cast iron base reduces vibration for more accurate drilling
- Tilting cast iron table tilts tool free from 0-45 degrees
- Adjustable depth stop for repetitive drilling applications



Power	390W
No load speed (rpm)	510 - 2430
Spindle Stroke	50
Chuck capacity (mm)	13
Chuck type	Keyed
Throat (mm)	127
Gear Speed	5
Weight (kg)	21.2
Article Number	5133002715
EAN Code	4892210125439

Standard equipment (RDP102L)

Stand, 13mm drill chuck, safety key, hex key

RAP1500G

500W Thicknesser

NEW

- Durable thicknesser capable of planing materials up to 318 mm wide and 153 mm high at a maximum pass of 3 mm
- Easy height adjustment for precise cutting
- Table extension with rollers provide flexibility and tackle a variety of woodworking applications



Power	1500W
No load speed (rpm)	9000
Feed speed (m/min)	8
Depth per pass (mm)	3
Weight (kg)	32
Article Number	5133002719
EAN Code	4892210125859

Standard equipment (RAP1500G)
 Push stick, rubber feet, hex key, wrench

RLS01

Adjustable Leg Stand 294cm

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms with work support brackets
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage



Dimensions (mm)	1380 - 2904
Loading capacity (kg)	181
Weight (kg)	21.9
Article Number	5133001200
EAN Code	4892210118363

Standard equipment (RLS01)
 2 x saw mount bracket, 2 x work support, extension arms

RLS02

Adjustable Leg Stand 216cm

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms with work support brackets
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage



Dimensions (mm)	1008-tól 2160-ig
Loading capacity (kg)	181
Weight (kg)	15.9
Article Number	5133001817
EAN Code	4892210122582

Standard equipment (RLS02)
 2 x saw mount bracket, 2 x work support, extension arms

Power tool Accessories

For more information on all our accessories, go to:

ryobitools.eu/accessories

6 Piece Jigsaw Blade Set

- Sharp and widely spaced teeth for aggressive fast cuts in wood
- Vented technology to help remove debris to cut faster in wood



RAK6JSBW

Article number:
5132002810

184mm Circular Saw Blade

- Tungsten carbide teeth for faster and sharper cuts
- 24 teeth give a smoother finish to the application




CSB184A1

Article number:
5132003615

6 piece Grinder Kit

- Cutting and grinding discs compatible with all 125mm angle grinders
- Premium diamond disc for cutting stone fast and accurately



RAK6AGD125

Article number:
5132003149

3 Piece Recip Saw Blade Set for Wood and Metal

- Optimised tooth design cuts faster than previous Ryobi® recip saw blades
- 1.2mm thin kerf for faster and more flexible cuts in wood



RAK3RBWM

Article number:
5132002813

18mm Speed Auger Wood Drill Bit

- Speed Auger delivers clean round holes in wood
- Self drilling tip for precise & effortless drilling
- 4 Flute design offers 3x faster drilling & 30% more runtime when compared with the Ryobi® 2 flute auger

Also available in:

- RAKSA10: 10mm
- RAKSA12: 12mm
- RAKSA14: 14mm
- RAKSA16: 16mm
- RAKSA20: 20mm
- RAKSA22: 22mm

RAKSA18

Article number:
5132002994



10 Piece Torque+ Mixed Screwdriver Box

- Made up of 10 most common impact bits used for a variety of different tasks
- Torque+ impact bits are specially hardened to withstand high torque output



RAK10MSDI

Article number:
5132002864

31 Piece Torque+ Mixed Screwdriver Set

- Made up of 31 most common impact bits used for a variety of different tasks
- Torque+ impact bits are specially hardened to withstand high torque output



RAK31MSDI

Article number:
5132002817

Take a look at our
Lawn and Garden range

RYOBI®



Have every
outdoor corner covered

A range of garden tools for creating
immaculate-looking gardens.

From mowing and trimming to woodcutting and garden tidy up, you
can look after your entire garden with Ryobi through every season.
Choose between cordless, electric or petrol power to suit your needs.

Find out more about our garden range at:

ryobitools.eu

or pick up a garden tools
catalogue in-store



RYOBI®



DESIGNED TO DO MORE

Techtronic Industries (UK) Limited

1st Floor Unit 3 Globeside Business Park
Fieldhouse Lane, Marlow, Bucks SL71HZ

Tel: +44(0) 1628 894 400

Fax: +44(0) 1628 894 401

Email: Sales@tti-uk.com

Web: www.ryobitools.eu



Technical helpline: +44(0) 800 389 0305

For your nearest local service centre
please contact customer services
on: +44(0) 1628 894 400



Dealer stamp:

Content of the catalogue is correct at time of going to print. Ryobi® reserve the right to change images and prices without prior notice. The use of the trademark RYOBI® is pursuant to a license granted by Ryobi® Limited.

